

**ESCALANTE CITY** P.O. BOX 189 56 NORTH 100 WEST **ESCALANTE, UT 84726** (435) 826-4644 FAX: (435) 826-4642

May 15, 2006

Department of Environmental Quality Division of Solid and Hazardous Waste C/O Dennis Downs P.O. Box 144880 Salt Lake City, Utah 84114-4880

Subject: Landfill Permit Renewal Application

Dear Mr. Downs:

Enclosed is Escalante Cities Landfill Renewal Application with the additional information your office requested.

I would like to designate the City Recorder and Public Works Director as authorized signers for Escalante Cities Landfill.

If you need any additional information, feel free to contact us at the above address.

Sincerely.

Emilee Lott-Woolsev

Council member (Landfill)

UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY

#### DIVISION OF SOLID AND HAZARDOUS WASTE

Division of Solid & Hazardous Waste

## APPLICATION FOR A PERMIT TO OPERATE A CLASSIN TERRITORIE IN INCOME INTOME IN INCOME IN

The applicant shall submit, in duplicate, an original permit application, a general report, and a technical report to:

Dennis R. Downs, Director Division of Solid and Hazardous Waste Utah Department of Environmental Quality PO Box 144880 Salt Lake City, Utah 84114 - 4880

### **PART: F- GENERAL INFORMATION**

1. Name of Facility Escalante City Class IV Landfill
2. Site Location Approximatley one mile South of Escalante City
3. Facility OwnerEscalante City
4. Facility Operator _Escalante City Maintenance
5. Contact Person Vickie Schulkoski
Address P.O.Box 189
Escalante, Ut 84726
Telephone (435) 826-4644
6. Type of Application:
☐ Class IVa Landfill Non-Commercial  Class IVb Landfill
☐ Initial Application ☐ Permit Renewal
7. Property Ownership

☐ Presently owned by applicant	
☐ To be purchased by applicant	
☐ To be leased by applicant	
Property owner (if different from applicant)	
Name	
Address	
Telephone	····
8. Certification of submitted information.	
	•
Marie Sea Serence	MAYOR
(Name of Official) Marjie Lee Spencer	(Title)
the information submitted is, to the best of my knowledge a I am aware that there are significant penalties for submipossibility of fine and imprisonment for knowing violation.	itting false information, including the
Signature: Marjie Lee Spencer	Date Echniany 13,0
Signature: Margie Lee Spencer SUBSCRIBED AND SWORN to before This 13th 2001.	_day of <u>FCbruary</u> ,
My commission expires on the day of	May , 2001.
Vickic S Shulkoski	
Notary Public in and for	
(SEAL) Garfield	County, Utah.
OUTAH  OB 189  UT 84726  . 5-20-2001  VICHE L. SCHUL  NOTARY PUBLIC • STATE  56 N 100 W PO  ESCALANTE UT  COMM. EXP 5-20	0/UTAH B 189 84726

#### INTRODUCTION

This report serves as the landfill permit renewal for the Escalante class IVb landfill located approximately one mile south of Escalante City. The purpose of this report is to inform the Utah Solid and Hazardous Waste committee of the location of the facility and to fulfill all renewal requirements.

The purpose of the site is to provide a location for residents to dispose of "Yard Waste" (as defined by subsection R315-301-1(82) of the Solid Waste Permitting and Management rules), without going to the expense of hauling such waste to the closest permitted facility, located in John's Valley more than 30 miles away. "Tires", and "Bulky Waste" such as car bodies, appliances, and furniture will also be stored at the site for later transport and disposal at the Garfield County Landfill or at an approved re-cycler for final disposal. A "Dead Animal Pit" is provided for the final disposal of dead animals.

#### LEGAL DESCRIPTION

The site is legally described as the Northeast quarter of the Southeast quarter of the northeast quarter of Section 24, Township 35 South, Range 2 East, Salt Lake Base & Meridian.

#### **ZONING**

The project is located in an area zoned multiple use.

The operation of this site fits in well with the County solid waste plan, because a portion of the waste is being diverted from the landfill.

#### **NEARBY HOMES**

The closest dwelling to the site is approximately one mile north of the facility. Natural topography and sagebrush vegetation screen the site from the dwelling and serves as a buffer.

#### WELLS. WATER COURSES AND DRAINAGE

No well exists within the limits of the storage facility. The closest well is located approximately (3) three miles from the site. Water courses at the site are limited to run off into the Alvey Wash. In addition several small intermittent washes traverse the site. Escalante City prevented the runon of surface water resulting from a 25-year storm event from entering the active areas of the facility. A man made diversion was constructed around the dead animal pit, the yard waste collection area, and the bulky waste storage area. Water falls directly into the dead animal pit and will be retained in the pit.

No live streams exists within the site. No 100 year flood plain falls within the Class IV Landfill

site

In addition to avoiding flood plains, the site is protected by berm style access roads and ditches to route any surface waters away from the working areas.

#### ROADS

The road network in the vicinity is part of Garfield County's Class B system. The County is required to maintain the road to a minimum standard.

#### **TOPOGRAPHY**

The topography of the site is characterized by sight to moderately sloping terrain west to east with general regular topography.

#### POPULATION IN AREA BEING SERVED

The 2000 Census estimates the population of the Escalante City area at approximately 950 people. Numerous agriculture operations exist in the area, and Escalante City supports three school buildings and two parks. Waste generated outside of the Escalante area will not be accepted unless appropriate inter-local agreements can be reached to include non permitted waste. Growth throughout the area is extremely limited due to lack of industry, water, limited private land and depressed economy. Considering existing population and unfavorable growth conditions, it is anticipated that the population serviced by the facility will remain stable.

#### AREA OF FACILITY

Total area of the facility is 10 acres.

#### WASTE TO BE ACCEPTED AND ULTIMATE DISPOSAL

The waste accepted at the facility is yard waste; bulky waste such as furniture, appliances, and car bodies; waste tires; construction waste and dead animals.

The yard waste is collected in a separate area and burned under existing Utah Air Quality Rules. The bulky wastes is separated into storage areas as recyclables and non-recyclables. These wastes will be moved from the storage areas at least once each year to be recycled or disposed at a permitted landfill. Waste tires are stored in a separate area and, prior to reaching the number of 500 tires, or within one year, will be removed from the storage area to be recycled or disposed at a permitted landfill. Dead animals are placed in a prepared pit and covered with earth the same day they are received. The construction waste is covered upon deposit of waste or with in a 24 hour period.

#### **GEOLOGY**

The area consists mainly of clay, sand, and sandstone.

#### CONTROL OF MATERIAL

The yard waste area is fenced to insure that the yard waste to be burned is completely separated from other wastes. At least one City employee is present at the facility at all times the site is open to the public to insure that unacceptable waste is not delivered to the facility. After each use personnel examine the site, cover any dead animals, and locks the gate when the site is not open for public disposal.

It is the intent of Escalante City to maintain control of waste deposited at the site and to prevent unauthorized waste from entering the facility.

#### ON SITE WASTE HANDLING PROCEDURES

Upon entrance to the facility, the waste hauler is stopped by the City employee who inspects the load of waste. If the load contains unacceptable waste, the hauler will be directed to the proper disposal site for the waste. If the load contains acceptable waste, the City employee will collect any fee required, make the necessary entries in the daily record, and direct the load to the proper area for unloading.

Loads of yard waste are directed to the fenced yard waste collection area and piled so that the waste can be safely and efficiently burned in accordance with current Utah Air Quality Rules. The yard waste to be burned shall be thoroughly dry and no trash, rubbish, tires, oil, bulky solid waste will be used to start fires or be included in the material to be burned.

Bulky waste brought to the facility is directed to the bulky waste storage area. Items that have no potential for recycling, such as waste furniture, will be stored apart from items that may have a value for recycling. When old cars are received, they will be checked to see that all fluids have been drained and disposed of properly and that the battery is recycled. The non-recyclable items will be removed from the site at least once each year and transported to the Garfield County Landfill at John's Valley. At least once each year, all recycled items will be removed from the site to be recycled if possible. If recycling is not feasible for these items, they will be transported to the John's Valley Landfill for disposal.

A small waste tire pile is created to store waste tires that are brought to the site. The pile will not be permitted to exceed 500 tires prior to hauling to a permitted re-cycler or the Garfield County Landfill. Tires stored at this site will not remain in place for a period of longer than twelve months.

A dead animal pit is provided for the disposal of dead animals brought to the site. The operator assists in putting the animal into the pit, and then he covers the animal with six inches of soil by the end of the same day that the animal is received. Dead animals will be accepted at the facility by appointment through the City Office.

Separate storage areas are designated for each type of waste and City personnel will check each day the facility is opened, to see that wastes are properly separated. A daily record of waste received will also be kept by the operator.

#### SCHEDULE FOR CONDUCTING INSPECTIONS AND MONITORING

Maintenance and operation personnel of the City will examine the site after each days use, cover any dead animals, and lock the gate when the site is not open for public disposal. Upon discovery of any unauthorized material, the City Police Chief will be contacted within 24 hours. An investigation will be initiated to determine the perpetrator. Any individual identified as disposing of unacceptable material at the site will be prosecuted and the City will remove any unauthorized material within 48 hours after discovery.

It is the intent of Escalante City to maintain control of waste material deposited at the site and to prevent unauthorized waste from entering the facility.

#### CONTINGENCY PLANS IN THE EVENT OF FIRE OR EXPLOSION

The concept of the facility is simplistic in nature. The only material accepted at the site are "construction waste", "yard wastes" such as tree trimmings, grass clippings, and "bulky waste" such as appliances and car bodies. A dead animal pit (animals will be covered the same day as received). A small tire storage site (less than 500 tires maximum). The potential for fires or explosions is minimal. In case of such an occurrence however, the Escalante City Fire Department is on call 24 hours per day, seven days per week and is properly trained to respond to such emergencies. The facility is also patrolled and monitored on a daily basis by City personnel.

If a fire or explosion should occur, and the facility was not capable of accepting allowable waste, an adjacent alternate temporary storage area would be provided. Upon re-opening the primary site, the material stored at the alternate site, would be transferred to the primary site.

#### CORRECTIVE ACTION FOR GROUND WATER CONTAMINATION

The nature of the facility is such that ground water contamination is not an issue. Ground water contaminating materials will not be accepted at the site nor is the site intended as a final disposal facility for wastes other than the burning of "yard waste" and the dead animal pit. The pit has a man made diversion to carry water away from it. Animals will be covered the same day they are received. When accepting old car bodies we take steps to recycle batteries and make sure people have drained the fluids from the cars.

#### DESCRIPTION OF MAINTENANCE OF INSTALLED EQUIPMENT

The only equipment installed at the site are gates, and fencing which are maintained by City personnel.

# PROCEDURES FOR EXCLUDING THE RECEIPT OF HAZARDOUS WASTE OR WASTE CONTAINING

In addition to the procedures outlined under section (b) "On Site Waste Handling Procedures" Escalante City personnel are trained in detecting hazardous wastes, they will inspect any suspicious materials encountered at the site. If hazardous substances are encountered, they will be separated from other waste materials, appropriate authorities notified, and notations will be made in the daily records. Considering the population served, waste materials generated in the local area, and intent of the facility, these measures are considered to be adequate.

#### PROCEDURES FOR CONTROLLING DISEASE VECTORS

The dead animal pit is the only source of waste that would generate any disease vectors. The City controls the problem by covering any dead animal on the same day as they are received. No household waste, or garbage capable of attracting or providing food for vectors is accepted at the site. If any such wastes are deposited illegally, they shall be removed within 24 hours. The facility operator inspects the area for flies, rats, and other disease vectors. If vectors become a problem, sprays and rodent bates or other effective means to control the population will be used.

#### ALTERNATE WASTE HANDLING OR DISPOSAL SYSTEM

The class IV Landfill is located on a 10 acre parcel of land. Should the facility become incapable of accepting allowable waste material for a short period of time, the material would be diverted to an adjacent alternative storage site, also the County garbage bins are available for use. Upon reopening of the primary site, the material would be moved from the alternate site to the primary site. The City will notify the citizens when the site will re-open.

Equipment at the site is minimal. The City owned backhoe and dump truck are adequate for any equipment needs.

#### CLOSURE & POST CLOSURE PLANS

Closure of the Class IV Landfill will consist of burning any remaining "yard waste" and transporting "bulky waste" materials and "tires" to an approved final disposal area at the Garfield County Landfill. The dead animal pit will be covered with two feet of dirt. The landfill would then be graded to promote drainage, and seeded to promote vegetative cover. Post closure care would consist of maintaining the integrity of the vegetative cover. Any areas subject to erosion would be corrected.

#### COST ESTIMATES AND FINANCIAL ASSURANCE PER SECTION R315-309-2(12)

The Financial Assurance Plan for this facility shall consist of providing adequate funding for closure and post closure activities. This funding estimated at \$2500 is set up as a line item account within the City budget process, and is readily identifiable as such

#### **COST ESTIMATE**

Burning of "Yard Waste"	
one person for 8 hours @ \$10/hr	\$ 80.00
Transport of "Bulky Waste" & "Tires"	
Covering "Dead Animal Pit" 2 feet dirt	
one person for 24 hours @ \$10/hr	\$ 240.00
one dump truck for 3 days @ \$160/day	\$ 480.00
one backhoe for 3 days @ \$360/day	\$1080.00
one grader for 1 day @ \$360/day	\$ 360.00
seeding	\$ 100.00
TOTAL	\$2340.00

#### TRAINING AND SAFETY PLAN FOR OPERATORS

City personnel is trained in the identification and exclusion of hazardous waste. Safety procedures conform to OSHA guidelines, and personnel is encouraged to participate in waste screening, safety, and first aid workshops.

#### UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY

#### DIVISION OF SOLID AND HAZARDOUS WASTE

#### APPLICATION FOR A PERMIT TO OPERATE A CLASS IV LANDFILL

The applicant shall submit an original permit application, which includes a general report and a technical report, to:

Dennis R. Downs, Director Division of Solid and Hazardous Waste Utah Department of Environmental Quality PO Box 144880 Salt Lake City, Utah 84114 - 4880

(Note: When the application is determined to be complete, submittal of the original complete permit application and one copy of the complete application will be required.)

#### PART I - GENERAL INFORMATION

1.	Name of Facility			
		•		
	Address			
	_			
	_			
	Telephone			
6.	Type of Facility:  ☐ Class IV	a Landfill	□ Class IVb Landfill	
7.	Type of Application ☐ Initial Application	on	☐ Permit Renew	

	••
	•
. Property Ownership	
☐ Presently owned by applicant	
☐ To be purchased by applicant	
☐ To be leased by applicant	
Property owner (if different from applicant)	
Name	<u></u>
Address	
Certification of submitted information.  (Name of Official)	(Title)
(Name of Official)	(Title)
certify under penalty of law that this document and all attachments rection or supervision in accordance with a system designed to as operly gather and evaluate the information submitted. Based on nersons who manage the system, or those persons directly responsible formation, the information submitted is, to the best of my knowled ad complete. I am aware that there are significant penalties for subcluding the possibility of fine and imprisonment for knowing violations.	ssure that qualified personnel ny inquiry of the person or ble for gathering the dge and belief, true, accurate, bmitting false information,
Signature:	Date
UBSCRIBED AND SWORN to before This day of	f, 20
ly commission expires on the day of	, 20
Notary Public in and for	

**Important Note:** The following checklist is for the permit application and addresses only the requirements of the Division of Solid and Hazardous Waste. Other federal, state, or local agencies may have requirements that the facility must meet. The applicant is responsible to be informed of, and meet, any applicable requirements. Examples of these requirements may include obtaining a conditional use permit, a business license, or a storm water permit. The applicant is reminded that obtaining a permit under the *Solid Waste Permitting and Management Rules* does not exempt the facility from these other requirements.

An application for a permit to construct and operate a landfill is the documentation that the landfill will be located, designed, constructed, and operated to meet the requirements of Rules R315-302, R315-303, R315-308, R315-309, and R315-315 of the *Utah Solid Waste Permitting and Management Rules* and the *Utah Solid and Hazardous Waste Act* (UCA 19-6-101 through 123). The application should be written to be understandable by regulatory agencies, landfill operators, and the general public. The application should also be written so that the landfill operator, after reading it, will be able to operate the landfill according to the requirements with a minimum of additional training.

Copies of the Solid Waste Permitting and Management Rules, the Utah Solid and Hazardous Waste Act, along with many other useful guidance documents can be obtained by contacting the Division of Solid and Hazardous Waste at 801-538-6170. Most of these documents are available on the Division's web page at <a href="https://www.eq.stat.ut.us/eqshw/dshw-1.htm">www.eq.stat.ut.us/eqshw/dshw-1.htm</a>. Guidance documents can be found at the solid waste section portion of the web page.

When the application is determined to be complete, the original complete application and one copy of the complete application are required along with an electronic copy.

9501R 37°45'20"N. 111°37'30"W

## CHECKLIST OF ADDITIONAL INFORMATION REQUIRED

(Please see Section R315-310-5 of the Utah Solid Waste Permitting and Management Rules)

#### PART II - GENERAL REPORT

#### INTRODUCTION

	X	Completed PART I - GENERAL INFORMATION (R315-310-3(1)(a))
		General description of the facility (R315-310-3(1)(b))
Start Her	· <b>«</b> .	Legal description; proof of ownership) lease agreement, or other mechanism; latitude and longitude of the site; and land use and zoning of surrounding area (R315-310-3(1)(c))
	$ rac{1}{\cancel{\sim}}$	The types of waste and area served by the facility (R315-310-3(1)(d))
		A demonstration that the landfill is not a commercial landfill - Noh!!
	<u>PLAN</u>	OF OPERATION (R315-310-3(1)(e))
	M	An intended schedule of construction (R315-302-2(2)(a))
	×	A description of on-site waste handling procedures and an example of the form that will be used to record the weights or volumes of waste received (R3:15=302=2(2)(b) and R315-310=
Start 12.	re	3(1)(1)
		A schedule for conducting inspections and monitoring and examples of the forms that will be used to record the results of the inspections and monitoring (R315-302-2(2)(c), R315-302-2(5)(a), and R315-310-3(1)(g))
		Contingency plans in the event of a fire or explosion (R315-302-2(2)(d))
		Corrective action programs to be initiated if ground water is contaminated (R315-302-2(2)(e))
		Contingency plans for other releases, e.g. explosive gases or failure of run-off collection system (R315-302-2(2)(f))
	□ .	A plan to control fugitive dust generated from roads, construction, general operations, and covering the waste (R315-302-2(g))
		Description of maintenance of installed equipment (R315-302-2(2)(h))
		Procedures for excluding the receipt of regulated hazardous or PCB containing waste (R315-

	302-2(2)(i))
	Procedures for controlling disease vectors (R315-302-2(2)(j))
	A plan for alternative waste handling (R315-302-2(2)(k))
	A general training and safety plan for site operations (R315-302-2(2)(n))
	How the facility will meet the requirements of Rule R315-305 (R315-310-5(2)(e))
	Any other site specific information pertaining to the plan of operation required by the Executive Secretary (R315-302-2(2)(o))
	PART III TECHNICAL REPORT
MAPS	$\mathbf{S}$
	Topographic map drawn to the required scale and contours showing the boundaries of the landfill unit; design and location of the run-on/run-off control structures; and the borrow and fill areas (R315-310-4(2)(a)(i))
	Most recent U.S. Geological Survey topographic map, 7-1/2 minute series, showing the waste facility boundary; the property boundary; surface drainage channels; existing utilities and structures within one-fourth mile of the site; and the direction of the prevailing winds (R315-310-4(2)(a)(ii))
<u>ENGI</u>	NEERING REPORT - PLANS, SPECIFICATIONS, AND CALCULATIONS
	Cell design, cover design, fill methods, elevation of final cover including plans and drawings (R315-310-3(1)(b))
	Design and location of run-on and run-off control systems (R315-310-5(2)(b))
<u>CLOS</u>	<u>URE PLAN</u> (R315-310-3(1)(h) and R315-310-5(2)(c))
	Closure schedule (R315-310-4(2)(d)(i))
	Design of final cover (R315-310-4(2)(c)(iii) and R315-305-5(5))
	Capacity of site in volume and tonnage (R315-310-4(2)(d)(ii))

	Final inspection by regulatory agencies (R315-310-4(2)(d)(iii))
POST-	-CLOSURE CARE PLAN (R315-310-3(1)(h))
	Site monitoring, if required (R315-310-4(2)(e)(i))
	Changes to record of title, land use, and zoning restrictions (R315-310-4(2)(e)(ii))
	Maintenance activities to maintain cover and run-on/run-off control systems (R315-310-4(2)(e)(iii))
	List the name, address, and telephone number of the person or office to contact about the facility during the post-closure care period (R315-310-4(2)(e)(vi))
FINA	NCIAL ASSURANCE (R315-310-3(1)(j))
	Identification of closure costs including cost calculations (R315-310-4(2)(d)(iv))
	Identification of post-closure care costs including cost calculations (R315-310-4(2)(e)(iv))
	Identification of the financial assurance mechanism that meets the requirements of Rule R315-309 and the date the mechanism will become effective (R315-309-1(1))
SPECI	AL REQUIREMENTS FOR A CLASS IVa LANDFILL (R315-310-5(3))
	A geohydrological assessment of the site (R315-310-4(2)(b))
□ .	An engineering report, plans, specifications, and calculations (R315-310-4(2)(c))
	A ground water monitoring plan (R315-305-4(4), R315-310-4(2)(c)(vi), and R315-310-5(3))
	A closure plan that meets the requirements of R315-303-3(4) (R315-305-5(5)(a) and R315-310-5(2)(c))

Revision date February 21, 2002

## Utah Class IV and VI Landfill Permit Application Form

Part / General Information APPLICANT PLEASE COM	IPLETEALL SECTIONS
I Landfill ☐ Class IVa ☑ Class IVb II Applica Type ☐ Class VI Type	New Application
For Renewal Applications, Facility Expansion Applications and Modifications	Enter Current Permit Number
III: Facility Name and Location	
Legal Name of Facility Escalante City C	lass IVb Landfill
Site Address (street or directions to site) Approximatey one mile south of	Escalante City County Garfield
city Escalante State Hat	Code 84726 Telephone 435-826-4644
Township 355 Range 2 E Section(s) 24	Quarter/Quarter Section Quarter Section
Main Gate Latitude degrees 37 minutes 45 seconds 10	Longitude degrees $///$ minutes $37'$ seconds $/3''WC$
W. Facility Owner(s) Information	
Legal Name of Facility Owner Escalant City	
Address (mailing) P.O. Box 189	
city Escalante states Hah	Zip 84726 Telephone 435-826-4644
V. Facility Operator(s) information	
Legal Name of Facility Operator Laune Woolsey	
Address (mailing) P.O. Box 189	
city Escalante startah	Zip Code 847 26 Telephone 435-616-4644
VI. Property Owner(s) Information	
Legal Name of Property Owner ESCALANTE CITY	
Address (mailing) P.D. Box 189	
city Escalante strutah	Zip Code 84726 Telephone 435-826-4644
VII. Contact Information	
Owner Contact Emilee 10H-WOOISEY	Title Council member
Address (mailing) P.O. Box 189	
city Escalante Soutah	Zip 84726 Telephone 435-826-4644
Email Address & Scalante Scintenet. net	Alternative Telephone (cell or other)
Operator Contact Laune Woolsty	Title Public Works Director
Address (mailing) P.O. Box 189	
city Escalante simultah	Zip Code 84726 Telephone435-616-4644
Email Address	Alternative Telephone (cell or other)
Property Owner Contact Emiles Lott-Wooksey	Title Council member
Address (mailing) P.O. Box 189	
city Escalante statah	Zip S4726 Telephone 435 - 826 - 4644
ail Address	Alternative Telephone (cell or other)

# Utah Class IV and VI Landfill Permit Application Form

_	*Part I: General Information (Continued)	性的 以及一种 计图像	The Land	and the same of th	
	VIII: Waste Types (check all that apply)	IX. Facility Area.		ACTION CANDO	George Persons
	Landfill will accept all wastes allowed in Class IV or VI landfills Or landfill will accept only the following wastes Waste Type Combined Disposal Unit Monofill Unit Construction & Demolition Tires Yard Waste Animals Contaminated Spil Other MC1015 Note: Disposal of dead animals must be approved by the Executive Secretary	Facility Area Disposal Area Design Capacity Years Cubic Yards.		40 1- 10,000	acres acres
	X. Fee and Application Documents				
	Indicate Documents Attached To This Application	Application Fee: Amoun	t \$	Class VI Special Requi	irements
	☐ Facility Map or Maps ☐ Facility Legal Description ☐ Plan of ☐ Ground Water Report ☐ Closure Design ☐ Cost Es			Documents require 08(9) and (10)	red by UCA 19-6 <sub>7</sub>
	HEREBY CERTIFY THAT THIS INFORMATION AND ALL A	TTACHED PAGES	ARE CORREC	CT AND COMPLE	STE.De.D.O.O.C.
	Signature of Authorized Owner Representative	Council	member	Date 5-15-	06
	Fmiles / Lott - Woolsey Name typed or printed	P.O. Bo	× 189, E	scalante,	Ut. 84726
	Signature of Authorized Land Owner Representative (if applicable)	Title	- ,	Date	
		Address			
	Name typed or printed				
	Signature of Authorized Operator Representative (if applicable)	Title		Date	
		Address		·	
	Name typed or printed		·		
_	<del></del>				

#### INTRODUCTION

This report serves as the landfill permit renewal for the Escalante Class IVb landfill located approximately one mile south of Escalante City. The purpose of this report is to inform the Utah Solid and Hazardous Waste committee of the location of the facility and to fulfill all renewal requirements.

The purpose of the site is to provide a location for residents to dispose of "Yard Waste" (as defined by subsection R315-301-1(82) of the Solid Waste Permitting and Management rules), without going to the expense of hauling such waste to the closet permitted facility, located in John's Valley more than 50 miles away. "Tires", and "Bulky Waste" such as car bodies, appliances, and furniture will also be stored a the site for later transport and disposal at the Garfield County Landfill or at an approved re-cycler for final disposal. A "Dead Animal Pit" is provided for the final disposal of dead animals.

#### **LEGAL DESCRIPTION**

The site is legally described as the Northeast quarter of the Southeast quarter of the northeast quarter of Section 24, Township 35 South, Range 2 East, Salt Lake Base & Meridian.

The landfill main gate is located at a latitude 37° 45' 10" north and longitude 111° 37' 13" west.

#### **ZONING**

The project is located in an area zoned multiple use.

The operation of this site fits in well with the County solid waste plan because a portion of the waste is being diverted from the landfill.

#### **NEARBY HOMES**

The closest dwelling to the site is approximately one mile north of the facility. Natural topography and sagebrush vegetation screen the site from the dwelling and serves as a buffer.

#### WELLS, WATER COURSES AND DRAINAGE

No well exists within the limits of the storage facility. The closest well is located approximately (3) three miles from the site. Water courses at the site are limited to run off into the Alvey Wash. In addition several small intermittent washes traverse the site. Escalante City prevented the run on of surface water resulting from a 25-year storm event from entering the active areas of the facility. A man made diversion was constructed around the dead animal pit, the yard waste collection area, and the bulky waste storage area. Water falls directly into the deal animal pit and will be retained in the pit.

No live streams exists within the site. No 100 year flood plain falls with the Class IVb Landfill site

In addition to avoiding flood plains, the site is protected by berm style access roads and ditches to route any surface waters away from the working areas.

#### **ROADS**

The road network in the vicinity is part of Garfield County's Class B system. The County is required to maintain the road to a minimum standard.

#### **TOPOGRAPHY**

The topography of the site is characterized by sight to moderately sloping terrain west to east with general regular topography.

#### POPULATION IN AREA BEING SERVED

The 2000 Census estimates the population of the Escalante City area at approximately 950 people. Numerous agriculture operations exist in the area, and Escalante City supports three school buildings and two parks. Waste generated outside of the Escalante area will not be accepted unless appropriate inter-local agreements can be reached to include non permitted waste. Growth throughout the area is extremely limited due to lack of industry, water, limited private land and depressed economy. Considering existing population and unfavorable growth conditions, it is anticipated that the population serviced by the facility will remain stable.

#### **AREA OF FACILITY**

Total area of the facility is 10 (ten) acres.

#### **PLAN OF OPERATIONS**

The sign at the landfill entrance reads: Escalante City Landfill Acceptable Materials:

- 1) Furniture & Appliances 2) Yard Waste 3) Tires 4) Construction Demolition Waste
- 5) Recycleable Materials 6) Dead Animals

Landfill Operator may inspect load for unacceptable waste.

It is against the law to dump hazardous and toxic waste in this landfill. Also, household garbage is not allowed. Violators will be prosecuted.

The landfill is open by appointment only by calling 435-826-4644 or 435-616-4644 and is posted at the city office and around the city. A copy of the sign is attached.

#### WASTE TO BE ACCEPTED AND ULTIMATE DISPOSAL

The waste accepted at the facility is yard waste; bulky waste such as furniture, appliances, and car bodies; waste tires; construction/demolition waste and dead animals. "Construction/demolition waste" means solid waste from building materials, packaging, and rubble resulting from construction, remodeling, repair, abatement, rehabilitation, renovation, and demolition operations on pavements, houses, commercial buildings, and other structures, including waste from a conditionally exempt small quantity generator of hazardous waste, as defined by Section R315-2-5, that may be generated by these operations.(a) Such waste may include:

- (i) concrete, bricks, and other masonry materials; (ii) soil and rock; (iii) waste asphalt;
- (iv) rebar contained in concrete; and (v) untreated wood, and tree stumps.
- (b) Construction/demolition waste does not include: (i) asbestos; (ii) wood treated with creosote or related compounds, Arsenic, Chromium, Copper, or other chemicals or materials to minimize attack or degradation by insects or microorganisms; and (iii) contaminated soils or tanks resulting from remediation or clean-up at any release or spill.

The yard waste is collected in a separate area and burned under existing Utah Air Quality Rules. Fire Chief, Don Porter is contacted at 435-616-4644 prior to burning of yard waste. "Yard waste" means vegetative matter resulting from landscaping, land maintenance, and land clearing operations including grass clippings, prunings, and other discarded material generated from yards, gardens, parks, and similar types of facilities. Yard waste does not include garbage, paper, plastic, processed wood, sludge, septage, or manure. The bulky waste is separated into storage areas as recyclables and non-recyclables. These wastes will be moved from the storage areas at least once each year to be recycled or disposed at a permitted landfill. Waste tires can be removed for recycling and tires that are received at four or less at a time at the landfill may be disposed in the Escalante landfill. Dead animals are placed in a prepared pit and covered with earth the same day they are received. The construction waste is covered upon deposit of waste or within as needed to prevent fire hazards. Working face is pushed and covered at least every six months or when needed.

#### PROHIBITED WASTE

Section R315-3 05-5(3) of the Rules prohibits the disposal of containerized liquids larger than household size, non-containerized liquids, sludge containing free liquids, or any waste containing free liquids in containers larger than household size (five gallon containers).

#### **GEOLOGY**

The area consists mainly of clay, sand and sandstone.

#### CONTROL OF MATERIAL

The yard waste area is fenced to insure that the yard waste to be burned is completely separated from other wastes. At least one City employee is present at the facility at all times the site is open to the public to insure that unacceptable waste is not delivered to the facility. After each use personnel examine the site, cover any dead animals, and lock the gate when the site is not open for public disposal.

It is the intent of Escalante City to maintain control of waste deposited at the site and to prevent unauthorized waste from entering the facility.

#### ON SITE WASTE HANDLING PROCEDURES

Upon entrance to the facility, the waste hauler is stopped by the City employee who inspects the load of waste. If the load contains unacceptable waste, the hauler will be directed to the proper disposal site for the waste. If the load contains acceptable waste, the City employee will collect any fee required, make the necessary entries in the daily record, and direct the load to the proper area for unloading.

Loads of yard waste are directed to the fenced yard waste collection area and piled so that the waste can be safely and efficiently burned in accordance with current Utah Air Quality Rules. The yard waste to be burned shall be thoroughly dry and no trash, rubbish, tires, oil, bulky solid waste will be used to start fires or be included in the material to be burned.

Bulky waste brought to the facility is directed to the bulky waste storage area. Items that have no potential for recycling, such as waste furniture, will be stored apart from items that may have a value for recycling. When old cars are received, they will be checked to see that all fluids have been drained and disposed of properly and that the battery is recycled. The non-recyclable items will be removed from the site at least once each year and transported to the Garfield County Landfill at John's Valley. At least once each year, all recycled items will be removed from the site to be recycled if possible. If recycling is not feasible for these items, they will be transported to the John's Valley Landfill for disposal.

A small waste tire pile is created to store waste tires that are brought to the site. The pile will not be permitted to exceed 500 tires prior to hauling to a permitted re-cycler or the Garfield County Landfill. Tires stored at this site will not remain in place for a period of longer than twelve months.

A dead animal pit is provided for the disposal of dead animals brought to the site. The operator assists in putting the animal into the pit, and then he covers the animal with six inches of soil by the end of the same day that the animal is received. Dead animals will be accepted at the facility by appointment through the City Office.

Separate storage areas are designated for each type of waste and City personnel will check each day the facility is opened, to see that wastes are properly separated. A daily record of waste received will also be kept by the operator.

The City will minimize the unloading area and working face of the disposal area as much as possible.

#### **FUGITIVE DUST CONTROL**

The City uses water to minimize and suppress the dust when needed. If the City is not able to do so, then the City contracts with a private company to do so.

#### LITTER CONTROL PROGRAM

The City workers will collect scattered litter as necessary to avoid a fire hazard or an aesthetic nuisance; and prohibit scavenging. There is a dumpster at the landfill site to use for litter as needed.

#### **ACCESS CONTROL**

Escalante City has at least one person on the site when citizens are at the site. The landfill is open by appointment only and is fenced and has a lockable gate this is locked at all times. The landfill is fenced and the fences are maintained on a regular basis.

#### SCHEDULE FOR CONDUCTING INSPECTIONS AND MONITORING

Maintenance and operation personnel of the City will examine the site after each days use, cover any dead animals, and lock the gate when the site is not open for public disposal. Upon discovery of any unauthorized material, the City Police Chief will be contacted within 24 hours. An investigation will be initiated to determine the perpetrator. Any individual identified as disposing of unacceptable material at the site will be prosecuted and the City will remove any unauthorized material within 48 hours after discovery.

It is the intent of Escalante City to maintain control of waste material deposited at the site and to prevent unauthorized waste from entering the facility.

Quarterly landfill inspection will be conducted to prevent malfunctions and deterioration, operator errors, and discharges which may cause or lead to the release of waste to the environment or to a threat to human health. The Quarterly Inspection Report form will be used to document the inspection. Random load Inspection will be conducted at least once each month to ensure prohibited wastes are not received at the landfill. The Random Load Inspection Report form will be used to document the inspection.

#### RECORD KEEPING

A copy of the form used is attached. This form includes the name of the individual, the date, kind of waste, amount of waste and other materials being disposed of.

#### CONTINGENCY PLANS IN THE EVENT OF FIRE OR EXPLOSION

The concept of the facility is simplistic in nature. The only material accepted at the site are "construction waste", "yard wastes" such as tree trimmings, grass clippings, and "bulky waste" such as appliances and car bodies. A dead animal pit (animals will be covered the same day as received). A small tire storage site (less than 500 tires maximum). The potential for fires or explosions is minimal. In case of such an occurrence however, the Escalante City Fire Department is on call 24 hours per day, seven days per week and is properly trained to respond to such emergencies. The facility is also patrolled and monitored on a daily basis by City personnel.

If a fire or explosion should occur, and the facility was not capable of accepting allowable waste, an adjacent alternate temporary storage area would be provided. Upon re-opening the primary site, the material stored at the alternate site, would be transferred to the primary site.

#### **CORRECTIVE ACTION FOR GROUND WATER CONTAMINATION**

The nature of the facility is such that ground water contamination is not an issue. Ground water contaminating materials will not be accepted at the site nor is the site intended as a final disposal facility for wastes other than the burning of "yard waste" and the dead animal pit. The pit has a man made diversion to carry water away from it. Animals will be covered the same day they are received. When accepting old car bodies we take steps to recycle batteries and make sure people have drained the fluids from the cars.

#### **RUN-ON AND RUN-OFF CONTROL**

The city uses run-on control ditches and berms to prevent run-on water, resulting from a 25-year storm event, from contacting the waste. The city had a 100-year storm event in 2004 and everything functioned properly and will continue to be maintained in operating condition. There are two dump areas at the landfill, with an area for metal and an area for appliances. There is a holding pond for storm water, an overflow ditch and a control ditch which is located on the south end of the landfill. A copy of the design is attached to the application.

#### DESCRIPTION OF MAINTENANCE OF INSTALLED EQUIPMENT

The only equipment installed at the site are gates, and fencing which are maintained by City personnel.

# PROCEDURES FOR EXCLUDING THE RECEIPT OF HAZARDOUS WASTE OR WASTE CONTAINING

In addition to the procedures outlined under section (b) "On Site Waste Handling Procedures" Escalante City personnel are trained in detecting hazardous wastes, they will inspect any suspicious materials encountered at the site. If hazardous substances are encountered, they will be separated from other waste materials, appropriate authorities notified, and notations will be made in the daily records. Considering the population served, waste materials generated in the local area, and intent of the facility, these measures are considered to be adequate.

#### PROCEDURES FOR CONTROLLING DISEASE VECTORS

The dead animal pit is the only source of waste that would generate any disease vectors. The City controls the problem by covering any dead animal on the same day as they are received. No household waste, or garbage capable of attracting or providing food for vectors is accepted at the site. If any such wastes are deposited illegally, they shall be removed within 24 hours. The facility operator inspects the area for flies, rats, and other disease vectors. If vectors become a problem, sprays and rodent bates or other effective means to control the population will be used.

#### ALTERNATE WASTE HANDLING OR DISPOSAL SYSTEM

The Class IV Landfill is located on a 10 acre parcel of land. Should the facility become incapable of accepting allowable waste material for a short period of time, the material would be diverted to an adjacent alternative storage site, also the County garbage bins are available for use. Upon reopening of the primary site, the material would be moved from the alternate site to the primary site. The City will notify the citizens when the site will re-open.

Equipment at the site is minimal. The City owned backhoe and dump truck are adequate for any equipment needs.

#### **CLOSURE PLANS**

Closure of Class IV Landfill will consist of burning any remaining "yard waste" and transporting "bulky waste" materials and "tires" to an approved final disposal area at the Garfield County Landfill. The dead animal pit will be covered with two feet of dirt. The landfill would then be graded to promote drainage. A copy of the drawing for closure is attached. There will be a minimum of two feet of soil including an upper layer of at least six inches of topsoil. The grade of the final cover shall not be less than two percent or more than thirty three percent. The final

cover shall be seeded with shallow rooted plants or native vegetation to minimize erosion. Any areas subject to erosion would be corrected.

The first partial closure will begin in 2007. The total waste disposal capacity of the landfill is approximately 40 years. The final inspection will be conducted by the Utah Division of Solid and Hazardous Waste. Escalante City will notify the Executive Secretary of the Utah Division of Solid and Hazardous Waste at least sixty days prior to the projected final receipt of waste at the facility. The implementation of the closure plan shall begin within 30 days after receipt of final waste. Closure activities will be completed within 180 days from the starting date. Within 90 days following completion of closure, the facility closure plans will be submitted to the Executive Secretary.

The city will submit plats and a statement of fact concerning the location of the disposal site to the

county recorder to be recorded as part of the record of title that this was a landfill. The city will submit proof of the record of title filing to the Executive Secretary. The total waste of the landfill is 189 tons or 94,500 cubic yards.

#### **POST-CLOSURE CARE PLAN**

The city will maintain the holding pond, control ditches and over flow ditch. Inspections will be done quarterly and records will be kept of these inspections.

#### **CLOSURE AND POST-CLOSURE COSTS**

A copy of the Solid Waste Facility Closure and Post-Closure Cost Estimates are attached to the application. The city used figures from local contractor estimates and published data for these cost estimates. These figures were based on a 30-year time frame.

#### **FINANCIAL ASSURANCE**

Escalante City has established escrow account #2175 through the State Treasurer's Office to meet the financial assurance requirements. The City will deposit approximately \$4,000 a year for the next five years, which will bring the total over \$20,000, which will meet the financial requirements. Escalante City has completed the new Escrow Agreement and it is being submitted with this application.

# ESCALANTE CLASS IVB LANDFILL RANDOM LOAD INSPECTION REPORT


Inspector:	Date:	Tir	ne:	
Vehicle License Number:	· · · · · · · · · · · · · · · · · · ·	Vehicle Descriptio	n	
Vehicle Owner:		Phone Nur	nber:	
Owner Address:				
Street		City	State	Zip
Driver/s Name:		Waste Genera	ator Name:	
Waste Generator Address:				
Stre	et Ci	ty	State	Zip
Inspector Load Description:				
			· · · · · · · · · · · · · · · · · · ·	
Waste Type Household: Commercial: Asbestos: Contaminated So Household or Conditionally Exem	il: C/D Debris	: Tires:	_ PCBs (<50	) ppm):
Suspicious Load (check potential Sealed Containers: Dry C Flammable Material: O	hemicals: Liqu	iid: Radioact		
Generator Non-Hazardous Certific Inspection Results: Load Accep	cation Not Need	ed:Load Rejected	Requested:	
Follow-up (if needed):	· · · · · · · · · · · · · · · · · · ·	<u></u>		
Pivision of Solid and Hazardous	Waste notified of haz	ardous waste load re	ejected:	
Inspector's Signature:		10 - A <del>1011111</del> 44,		

# ESCALANTE CLASS IVB LANDFILL QUARTERLY FACILITY INSPECTION REPORT

Date:		1	<u> </u>	<del></del>	
AREA	OK.	NEED REPAIR	Barrier Street	COMMENTS	DATE REPAIR. COMPLETED
Fencing					 
Gate					
C&D Disposal Trench					 
Dead Animal Pit					
Roads					
Drainage Ditches					
Drainage Berm					 
Roads					
Recycle Area					
Clean Green Pile					 
Signs					
Vectors/Vermin					
Other Items					

Inspection Completed by:

(Signature)



Form 1860-9 (January 1988)

# The United States of America

To all to whom these presents shall come. Greeting:

Serial No. Utah 71137-02

WHEREAS.

VI 195

Escalante City, Utah

is entitled to a land patent pursuant to the Recreation and Public Purposes Act of June 14, 1926 (44 Stat. 741), as amended and supplemented (43 U.S.C. 869; et. seq.), for the following described land:

Salt Lake Meridian, Utah

T. 35 S., R. 2 E.,

sec. 24. NE 4 SE 4 NE 4.

containing 10.00 acres

NOW KNOW YE, that the UNITED STATES OF AMERICA, in consideration of the premises, and in conformity with said Act of Congress, HAS GIVEN AND GRANTED, and by these presents DOES GIVE AND GRANT unto the said Escalante City, Utah, the land above described for use as a solid waste transfer station: TO HAVE AND TO HOLD the same, together with all rights, privileges, immunities, and appurtenances, of whatsoever nature, thereunto belonging, unto the same Escalante City, Utah, forever; and

#### EXCEPTING AND RESERVING TO THE UNITED STATES:

- 1. A right-of-way thereon for ditches or canals constructed by the authority of the United States. Act of August 30, 1890 (43 U.S.C. 945).
- 2. All minerals, including oil, gas, and coal with the right to prospect for, mine and remove the same. The Secretary of the Interior reserves the right to determine whether such mining and removal of minerals will interfere with the development, operation and maintenance of the transfer station.

Escalante City, Utah, its successors or assigns, assumes all liability for and shall defend, indemnify, and save harmless the United States and its officers, agents, representatives, and employees (hereinafter referred to in this clause as the United States), from all claims, loss, damage, actions, causes of action, expense, and liability (hereinafter referred to in this clause as claims) resulting from, brought for, or on account of, any personal injury, threat of personal injury, or property damage received or sustained by any person or persons (including the patentee's employees) or property growing out of, occurring, or attributable directly or indirectly, to the disposal of solid waste on, or the release of hazardous substances from T. 35 S., R. 2 E., SLM, sec. 24, NE¼ SE¼ NE¾, regardless of whether such claims shall be attributable to: (1) the concurrent, contributory, or partial fault, failure, or negligence of the United States.

43-95-0017

Patent Number

Serial No. Utah 71137-02

Provided, that title shall revert to the United States upon a finding, after notice and opportunity for a hearing, that the patentee has not substantially developed the lands on or before the date five years after the date of conveyance. No portion of the land shall under any circumstance revert to the United States if any such portion has been used for solid waste disposal or for any other purpose which may result in the disposal, placement, or release of any hazardous substance.

If, at any time, the patentee transfers to another party ownership of any portion of the land not used for the purpose specified in this document, the patentee shall pay the Bureau of Land Management the fair market value, as determined by the authorized officer, of the transferred portion as of the date of transfer, including the value of any improvements thereon.

The above described land has been conveyed for utilization as a solid waste transfer station as follows: T. 35 S., R. 2 E., SLM, sec. 24, NE¼SE¼NE¼. Upon closure, the site may contain small quantities of commercial and household hazardous waste as determined in the Resource Conservation and Recovery Act of 1976, as amended (42 U.S.C. 6901), and defined in 40 CFR 261.4 and 261.5. Although there is no indication these materials pose any significant risk to human health or the environment, future land uses should be limited to those which do not penetrate the final cover of this area unless excavation is conducted subject to applicable State and Federal requirements.



Patent Number 43-95-0017

In Testimony Whereof, the undersigned authorized officer of the Bureau of Land Management, in accordance with the provisions of the Act of June 17, 1948 (62 Stat. 476), has, in the name of the United States, caused these letters to be made Patent, and the Seal of the Bureau to be hereunto affixed.

GIVEN under my hand, in Salt Lake City, Utah the Fourth day of May in the year of our Lord one thousand nine hundred and Ninety-Five and of the Independence of the United States the two hundred and Nineteenth

Chief, Branch of Lands and Minerals

Operations

### **DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT** CASE RECORDATION

(LIVE) Serial Register Page

Run Date/Time: 11/15/05 02:23 PM

Total Acres

Serial Number

Page 1 of 1

Case Type

6-14-1926;044STAT0741;43USC869

Commodity 881:

274000: SALE- REC & PUB PURPOSES

10.000

UTU--- - 07113702

Case Disposition: AUTHORIZED

SANITARY LANDFILLS

Serial Number: UTU--- - 07113702

Name & Address

Int Rel

%Interest

ESCALANTE CITY OF

PO BOX 189

NESENE:

ESCALANTE UT 84726

PATENTEE

100.000000000

Mer Twp Rng Sec SType SNr Suff

Serial Number: UTU--- - 07113702 District/Resource Area

County

Mgmt Agency

26 0350S 0020E 024

Subdivision

GRAND STAIRCASE-ESCALANTE N GARFIELD

BUREAU OF LAND MGMT

Serial Number: UTU--- - 07113702

Act Date	Code	Action	Action Remarks	Pending Office
02/01/1993	124	APLN RECD	/A/	
02/01/1993	542	SUPPLEMENTAL USE/PURPOSE	696 <b>;</b>	
02/17/1993	042	CASE SENT TO	UT0488;	
09/20/1994	302	PURCHASE PRICE RECEIVED	\$100.00;	
10/20/1994	042	CASE SENT TO	UT040;	
08/1994	042	CASE SENT TO	UT9424;	
04/1995	271	PATENT ISSUED	43-95-0017;	
05/04/1995	400	US RIGHTS ACQ/RES	140,459,942;	
05/05/1995	600	RECORDS NOTED		
05/08/1995	042	CASE SENT TO	UT0488;	
05/17/1995	042	CASE SENT TO	UT040;	
06/02/1995	042	CASE SENT TO	UT0488;	
07/04/1995	853	COMPL/REVIEW DUE DATE		
08/01/1995	950	COMPLIANCE APPROVED		
04/04/1996	853	COMPL/REVIEW DUE DATE		
11/22/1996	950	COMPLIANCE APPROVED		
02/04/1997	042	CASE SENT TO	UT040;	•
03/10/1997	042	CASE SENT TO	UT0488;	
04/04/1997	853	COMPL/REVIEW DUE DATE		
05/05/1997	950	COMPLIANCE APPROVED		
05/09/1997	042	CASE SENT TO	UT040;	
04/04/2000	853	COMPL/REVIEW DUE DATE		
05/16/2003	950	COMPLIANCE APPROVED		
04/04/2005	853	COMPL/REVIEW DUE DATE		
04/04/2005	950	COMPLIANCE APPROVED		
04/04/2007	853	COMPL/REVIEW DUE DATE		
04/04/2009	853	COMPL/REVIEW DUE DATE		
04/04/2011	853	COMPL/REVIEW DUE DATE		
04/04/2013	853	COMPL/REVIEW DUE DATE		

Serial Number: UTU--- - 07113702

0003

FOR STORAGE AND COMPOST AREA; SEE UTU-71137 FOR CLASSIFICATION; /A/2/16 ER PER TELECON;

First partial closure of the Esculante city hand fill it was be in 2006 or 2007 in hose approximately 10% slop It top soil 166 50:1 Josum



## **Utah Division of Solid and Hazardous Waste** Solid Waste Management Program

Mailing Address P.O. Box 144880 Salt Lake City, Utah 84114-4880 Office Location 288 North 1460 West Salt Lake City, Utah 84116 Phone (801) 538-6170 Fax (801) 538-6715 www.den.utah.gov

# Preparation of Solid Waste Facility Closure and Post-Closure Cost Estimates

#### Guidance

#### Introduction

This guidance is not a rule. It has been prepared to give the reader information, in plain language, about how the Division of Solid and Hazardous Waste expects to interpret Utah Administrative Code (UAC) R315-302-3. In the event questions arise regarding the matters discussed in this guidance, the text of the rule will govern.

#### Cost Estimates and Financial Assurance

#### Closure

Owners or operators are required to provide cost estimates, in current dollars, for a third party to conduct and complete closure activities (i.e., hiring qualified contractors to perform closure activities). Estimates must equal the maximum closure costs at any time during the life of the facility or cell; or the permit life, whichever is shorter. Estimates must be included for each closure activity. If closure will be conducted in phases, cost estimates for completing each phase should be provided. A sample worksheet for estimating costs is attached to this guidance. A worksheet with costs for some of the items is also provided. The costs shown were developed for the Oklahoma Department of Environmental Quality and reflect costs in Oklahoma. Basic closure cost items should include, if applicable:

- Design cost to provide construction level design details for the closure.
- · Ground water monitoring analysis costs, well maintenance and replacement.
- Gas control system installation, if any is needed in addition to control systems installed in the
  waste.
- · Costs for any additional equipment to treat use or dispose of the gas.
- · Final cover installation and material cost including:
  - a. Clay material acquisition, placement, and compaction.
  - b. Vegetative layer material acquisition, placement and grading or placement of any other approved layer to protect the compacted soil layer.
  - Any geomembranes, drainage layers or other cover layers as required by the permit and plans.

- d. Seeding, fertilization, soil amendments and mulch.
- Installation of any additional control or monitoring features as necessary.

#### **Post-Closure**

Provide cost estimates, in current dollars, for a third party to conduct and complete post-closure activities. Estimates must equal the maximum post-closure costs at any time during the post-closure period. Estimates should include figures for each post-closure activity and an estimate of the total cost of post-closure care for the thirty-year post-closure period. Include assumptions made in preparing the cost estimates. The basic post-closure cost items should include, if applicable:

- Final cover maintenance and repair. Use the following for estimating the amount of work to be done each year.
  - a. Erosion repair; use one foot of cover over 5% of the landfill area per year.
  - b. Vegetation repair, use 10% of the landfill area per year.
- · Leachate collection, treatment, disposal and maintenance should include costs for:
  - a. Operation
  - b. Sampling and analyses
  - c: Maintenance and repair
- · Ground water monitoring should include costs for:
  - Sampling
  - b. Analyses
  - c. Maintenance and repair
- · Gas monitoring should include costs for:
  - Sampling
  - b. Analyses (if necessary)
  - Maintenance and repair
- · Gas control systems, if required, should include costs for:
  - a. Operation
  - Maintenance and repair
- Any other monitoring or sampling required by other environmental programs should be included in the total cost of post-closure care.
- Record keeping and reporting is required by UAC R315-302-2 and the cost of these activities should be included in the total post-closure care cost estimate.

Usub Division of Solid and Hazardous Waste
Solid Waste Program
page 4 of 22

Landfill Closure Cost Estimate Worksheet
A brief description of each line item, as numbered in the tables, is given immediately following this series of tables.

***	To Itom	** Unit Measure	Ser Costtinit	WATER VOT UNITS #22	Total Cost	Source at	SAME IN ORDER
1.0	Engineering and Preliminary Site Work						
1.1	Topographic Survey	NIA					
1.2	Boundary Survey for Closure	NIA					
1.3	Site Evaluation	VISIŁ	\$/00.00	7	\$ 100.00	\$50.00 per Hr.	٤
1.4	Development of Plans	Plan	\$/00.00	4	\$100.00	\$50.00 DOLLE	٠
1.5	Contract Administration Bidding and Award	piq	\$20.00	R	\$/00.00		
1.6	Administrative Costs for the Certification of Final Cover and Closure Notice	N/A					
1.7	Project Management; Construction Observation and Testing	Visit	\$100.00	H	\$100.00/		
1.8	Monitor Well Consultant Cost	<b>*</b>					
1.9	Other Environmental Permit Costs	5446.13			•. •		
1.10	Disposal of Final Wastes						
1.10.1	Disposal Cost	trip load	00.Sbl\$	8	\$7,800.00		
1.11	Remove Temporary Buildings	4/N					
1.12	Remove Equipment	N/A					
1.13	Repair/Replace Perimeter Fencing	N//A					
1.14	Clean Leachate Lines	NIA					
	Subtotal				\$8,300.00		
	10 % Contingency				\$830.00		

Utah Divisio Solid and Hazardous Waste Solid Waste Program page 5 of 22

page 5 of 22	Engineering Total				\$9,030.00		
						-	
	Collien Se. M. M. W.	Unit Measure	COSTUDIES OF	Walk No. Units (Est	* - 4 Total Cost - No.	No. of the second second	
2.0	Construction						
2.1	Final Cover System						
2.1.1	Completion of Sidewall Liner						
2.1.1a	Soil Placement	Pertal/Por	\$65.00	7	\$210.00		
2.1.1b	Soil Processing	N/A		+			
2.1.1c	Soil Amendment	NA					
2.1.1d	Soil Purchase	NIA					
2.1.1e	Soil Transportation	Truck load	\$65.00	4	\$360.00		
2.1.2	Drainage Layer on Sidewall	4/N					
2.1.2a	Geotextile Filter Fabric	MA					
2.1.2b	Geonet/Geotextile Composite	A'N					
2.1.2c	Geomembrane Sidewall Liner	t/N					
2.2	Completion of Top Cover						
2.2.1	Infiltration Layer (Compacted Clay						
2.2.1a	Soil Placement (Compacted)	Alla					
2.2.1b	Soil Processing	MA					
2.2.1c	Soil Amendment	AIN					
2.2.1d	Soil Purchase	NA					
2.2.le	Transportation	MIM					
2.2.2	Geosynthetic Clay Layer						
2.2.2a	Geosynthetic Clay Installation	N					

Utah Division fid and Hazardous Waste Solid Waste Program page 6 of 22

page 6 of 22	122						
	二、一、一、一(tem Ashan)(1)。	S. Unit Measure	CoseConstant	A SHOLDING WE	Note Cost	Source Live	THE PARTY OF THE P
2.2.3	Flexible Membrane Cover						
2.2.3a	Flexible Membrane Installation	N/A			A CONTRACTOR OF THE PROPERTY O	And the state of t	
2.2.4	Drainage Layer						
2.2.4a	Geonet/Geotextile	AIA				では、一個などのでは、「ない」というできない。	
2.2.4b	Sand Layer	N/A					
2.2.4c	Soil Cover	M/A					
2.2.4d	Geonet/Geotextile Composite	NA					
2.3	Erosion Layer Placement	N/A					
2.4	Revegetation						
2.4.1	Seeding	Acre	H	H	\$100.00		The state of the s
2.4.2	Fertilize	Arre	75	1	\$15.00		
2.4.3	Mulch	t N					
2.5	Site Grading and Drainage	A.N					
2.6	Site Fencing and Security	AN.					
2.7	Leachate Collection System Completion	A N					
	Subtotal				635.00		
	10% Contingency				63.50		
	Construction Total				\$698.50		

	Ilem A Water		II Wesking   K. + Cost/United   Set Not time at   C-turblait one at   C-turblait one at   C-turblait   C-turb	
3.0	Gas Collection System			
3.1	System Design	2		
3.2	Completion of Gas Collection	~		
_	System	2		

Utah Division lid and Hazardous Waste Solid Waste Program

3.3.1 Place Sand  3.3.2 Install Geonet and Geotextile  3.3.3 Install Passive Vents  3.3.4 Install, Rework or Replace  Cas Control Equipment  Subtotal  Gas Collection Total	page 7 of 22	of 22		
	3.3	Equipment and Installation		
	3.3.1		H N	
	3.3.2		A!N	
	3.3.3		NA	
Subtotal  10% Contingency  Gas Collection Total  Subtotal	3.3.4		N/A	
10% Contingency Cas Collection Total Cas Collection Total		Subtotal		
Gas Collection Total		10% Contingency		
		Gas Collection Total		

The The Measure of the The Measure	Chair Measure 22   E. Control of
Monitor Well Installation Cost	
Ground Water Monitoring	
Will Installation, Reworking,	
or Replacement	
Install, Rework, or Replace	
Methane Probe/s	
Monitor Well, or Methane	
Probe Plugging	
Subtotal	
10% Contingency	
Monitor Well Installation Total	

Solid Waste Program page 8 of 22

# Calculation of Total Closure Costs

Engineering Total: \$9030.0 Construction Total: 698.5 Ground Water Total: NPA  Ground Water Total: NPA  Ground Water Total: NPA  Performance Bond: \$69.5 Contract  Performance Bond: \$69.7 F. SUBTOTAL: \$60.5 Subtotal): \$60.5 Subto
--

Utab Division of Solid and Hazardous Waste
Solid Waste Program
page 9 of 22

Landfill Post-Closure Care Cost Estimate Worksheet

TO SERVICE SER		DO.000,1₽	9																		
		∣ਢ		4			A/N	よ ス	NA		4N	オス			AIN	N'A		u) i	NH	N/A	t N
	Engineering Costs	Post-Closure Plan and Post- Closure permits	Site Inspection and Record keeping (annual)	Correctional Plans and Specifications (annual)	Site Monitoring	Ground Water Monitoring	Ground Water Sample Collection	Ground Water Sample Analysis	Ground Water Sample Analysis Review and Reporting	Landfill Gas Monitoring	Gas Monitoring Data Collection	Gas Monitoring Data Review and Reporting	Maintenance Costs	Cover Maintenance Costs	Soil Replacement	Vegetation Reseeding	Equipment Maintenance	Ground Water well Maintenance and	Replacement	Methane Probe Maintenance and Replacement	Gas Collection System
	1.0	-:	1.2	1.3	1.4	1.4.1	1.4.la	1.4.1b	1.4.1c	1.4.2	1.4.2a	1.4.2b	2.0	2.1	2.1.1	2.1.2	2.2	2.2.1		2.2.2	2.2.3

10 O 1 X		A Tinit Mesuire	<b>学院が出たがある。</b>			
2.2.4	stem				TO THE PARTY OF TH	
	Maintenance and Repair	I N				
2.2.5	Leachate Collection System	上的人			<b>美洲</b>	
2.2.5a		W/W				
	Repair and Maintenance	±/\/	-			
2.2.5b	Clean Leachate Lines	NA				
3.0	Final Plugging of Monitoring Wells					
3.1	Final Plugging of Methane	U//V			A STATE OF THE STA	
	Probes	7/L				
3.2	Final Plugging of Ground	N//4				
	water Monitoring Wells	/ // /				
3.3	Gas Control Equipment Removal	A/N				
4.0	Leachate Disposal	N/A				
5.0	Site Maintenance					
5.1	Repair of Surface Water Diversion Structures	Drainage .	\$65.00	//o hrs	hr \$1040.00	
5.2	Repair of Fences and Gates	4/2		)		
5.3	General Maintenance	GWY-TON THE	\$50.00 BO NX	18 PK	\$ (0,000.09	
6.0	Demonstration of stability					
					\$9,540.00	
	10% Contingency				\$ 954.00	
	Post-Closure Care Total				10494.00	

gja ...

Carronivision of Solid and Hazardous Waste Solid Waste Program page 11 of 22

Total Closure and Post-Closure Costs

Total Closure Costs:

Total Post-Closure Care Costs:

Total Cost:

\$9718.50 \$10,494.00 \$30,313.50

#### DESCRIPTION OF LINE ITEMS

Source List the source of the data used such as DEQ guidance or RS Means etc.

Note Give any explanatory information.

# Closure Costs 1.0 Engineering

Note — The "Units" in the worksheet, whether acres to be closed or cubic yards of soil to be used etc., should be justified in the documentation of the closure costs.

Engineering costs have been divided into seven major items: topographic survey, waste boundary field notes, site evaluation, development of plans, contract administration, bidding and award, administrative costs, and closure inspection and testing. The items may each have a variety of tasks but the nature of the work in the various tasks has been combined in the major items.

#### 1.1 Topographic Survey

A topographic survey will generally be required to ascertain the existing height and top slope of the landfill so that permit compliance can be evaluated and the final closure system, drainage system and final grading can be engineered.

#### 1.2 Boundary Survey

A Boundary survey is a metes and bounds description that is required for filing the closure notice and making the required changes on the record of title on the area of the site which has received waste.

#### 1.3 Site Evaluation

The site evaluation includes a site inspection to identify waste disposal areas, analyze drainage and erosion protection needs, and to determine other site operational features that may not be in compliance with the permit. Analysis of ground water samples, landfill gas analysis, operation records, etc. should also be included.

#### 1.4 Development of Plans

The final closure plan includes the final cover system design and specifications, grading and drainage plans, specifications for revegetation, design of any other site improvements required, and preparation of a closure schedule. This item also includes the coordination of the closure plan with the Utah Division of Solid and Hazardous Waste, including the required notifications and reporting.

#### 1.5 Contract Administration

#### 1.6 Administrative Costs

#### 1.7 Closure Inspection and Testing

Closure inspection and testing costs include the cost of a Professional Engineer to observe the closure construction, perform appropriate cover thickness and permeability verifications, and prepare an evaluation report upon completion of the closure.

#### 1.8 Ground Water Monitor Well Consultant Costs

Consultant costs for monitor well installation include preparation of work plans, well installation observation, well development, and the data analysis report.

#### 1.9 NPDES Construction Storm Water Permit Compliance Package

The consultant is to prepare all necessary plans, specifications, and other documents necessary for compliance with all applicable federal and state laws and requirements necessary for the closure of the site. One of these required steps is compliance with the Federal Clean Water Act.

#### 1.10 disposal of final Wastes

Any onsite waste that is not in the disposal cell must be placed in the cell or disposed of at a permitted facility if the waste can ton be placed in the current open cell

#### 1.11 Remove Temporary Buildings

Onsite buildings that are not being used for post-closure care operations at the site must be removed and disposed of.

#### 1.12 Remove Equipment

Onsite equipment that are not being used for post-closure care operations at the site must be removed and disposed of.

#### 1.13 Repair/replace Perimeter Fencing

#### 1.14 Clean Leachate Lines

#### 2.0 Construction Costs

Closure construction costs include those for construction of the final cover system, site grading, and drainage improvements. Other construction costs may be necessary to correct on-site problems.

#### 2.1 Final Cover System

The standard final cover system at Class I, Class II, and some Class V Landfills is an infiltration layer that is a minimum of 18 inches thick of earthen material that has a permeability less than or equal to the permeability of any bottom liner system or if there is no liner in the landfill unit, no greater than the permeability of the natural soils, or a permeability of no greater than  $1\times10^{-5}$  cm/sec, whichever is less, and an erosion layer of a minimum of 6 inches of earthen material that is capable of sustaining plant growth. If a Flexible Membrane Liner (FML) is included in the landfill liner system, it may be necessary to install a Flexible Membrane Cover (FMC) along with the infiltration layer to attain the required permeability. In addition, it is a common practice to place a drainage layer over the infiltration layer to remove water that has percolated through the erosion layer. Also, revegetation of the erosion layer is required to protect the entire final cover system as is revegetation of all disturbed areas.

#### 2.1.1 Completion of the Sidewall Liner

Completion of the sidewall liner is necessary when the waste is not placed at a permanent grade or when no sidewall liner has been placed. In general, if the waste is not placed at a final grade and new final grades have been assumed, the completion of this sidewall liner is required.

#### 2.1.2 Drainage Layer on Sidewall (if required)

For ease of construction, this drainage layer along the sidewall area to be developed could consist of a "geonet" or "geogrid" system and is measured in terms of square yards of placement.

#### 2.2 Completion of the Top Cover

#### 2.2.1 Infiltration Layer (Compacted Clay)

Utah Division of Solid and Hazardous Waste Solid Waste Program

The infiltration layer of the final cover system consists of an 18-inch thick layer of compacted soil or other earthen materials with a permeability matching that of the bottom liner but not greater than 1x10<sup>-5</sup> cm/sec.

#### 2.2.2 Geosynthetic Clay Layer

A compacted clay liner may be used at certain landfill sites to meet the permeability requirements of the rules.

#### 2.2.3 Flexible Membrane Cover

A flexible membrane cover will be necessary at certain landfill sites where the required permeability cannot be attained in the infiltration layer by earthen materials alone. Similar material is used for the FMC as is used for the FML, but typically requires more flexibility and less chemical resistance.

#### 2.2.4 Drainage Layer

A drainage layer is commonly used between the erosion layer and the infiltration layer. Two alternative designs are available:

- The use of a sand layer covered with a geotextile filter fabric; and
- The use of a geonet/geotextile composite.

In either case, a pipe is required around the base of the cover slopes to collect the infiltrated storm water from the drainage layer. The cost of the collection pipe system should be incorporated into the costs for the drainage layer. If a sand layer and geotextile filter fabric are used, then the geonet/geotextile composite item will not be used.

#### 2.3 Erosion Layer Placement

The erosion layer must be a minimum of 6 inches of earthen material capable of sustaining plant growth. The existing site topsoil is generally acceptable for this application, although a layer thicker than 6 inches may be required if the soil used has high shrink/swell characteristics that would promote cracking. Since acceptable soil is generally available on-site, only the cost of placement has been included.

#### 2.4 Revegetation

Revegetation includes the activities necessary to provide vegetative erosion protection over the surface of the completed final cover. In some instances, temporary vegetation measures are used to establish vegetation quickly until permanent revegetation can be developed. The costs are based on seeding with grasses or other shallow rooted plants and the application of appropriate fertilizer. Other methodologies may include sodding, hydro mulch applications, etc.

#### 2.5 Site Grading and Drainage

Site grading and drainage include the final grading of the site, drainage improvements and sedimentation controls for proper closure of the site.

#### 2.6 Site Fencing and Security

Site fencing and security are to be added to secure any area of the landfill which has received waste and is undergoing closure but may not have been fenced.

#### 2.7 Leachate Collection System Completion

In the event of forced closure, there may be circumstances where the leachate collection system has not been completed. In this event, the leachate collection system must be completed with permanent outfalls and permanent

Utah Division of Solid and Hazardous Waste Solid Waste Program

clean outs installed.

#### 3.0 Gas Collection System

Some landfill closures may require the installation of a gas collection system. This system may consist of collection pipes, gas collection layer and surface equipment to dispose of or use the gas

#### 3.1 System Design

Where closure is required prior to the complete filling of the cell or site, changes in the design of the gas collection system may be required.

#### 3.2 Completion of Gas Collection System

In the event of forced closure, there may be circumstances where the gas monitoring system, if required, has not been installed completely in association with the unit to be closed. The gas monitoring system may include the installation of pipes and appurtenances necessary for conduction of the required monitoring.

#### 3.3 Equipment and Installation

#### 4.0 Monitor Well Installation

A ground water monitoring well network, if monitoring was required at the landfill unit, should have been installed prior to the beginning of any waste disposal operations. In the event of forced closure of a site, it may become necessary to relocate the point of compliance. This may require the installation of new monitor wells and the proper plugging of those well locations that are no longer suitable. Gas monitoring at the site may require the installation of methane monitoring wells or the relocation or reworking of existing methane monitoring wells.

#### 4.1 Ground Water Monitor Well Installation, Reworking, or Replacement

Monitor well installation, rework or replacement includes all labor (including consultant labor) and materials to do the necessary work including surveying.

#### 4.2 Install, rework, or Replace Methane Probe/s

Methane Probe installation, rework, or replacement includes all labor (including consultant labor) and materials to do the necessary work including surveying.

#### 4.3 Monitor Well or Methane Probe Plugging

Includes all costs for the plugging of wells and probes.

#### Contingency Costs and Legal Fees

Including in the cost estimates an estimated 10 percent contingency cost and an estimated 25 percent cost associated with the legal fees would be prudent.

#### Calculation of the Totals for Closure

The Engineering Total, Construction Total, Gas Collection Total, and the Ground Water Total should be added. At that time, a percentage of construction should be set aside for the Contractor's Performance Bond. In addition to that, the 10 percent contingency factor should be built into each category. A space for contingency legal fees has

Utah Division of Solid and Hazardous Waste Solid Waste Program page 16 of 22

been provided; this may be from zero to as must as 25 percent of the total closure costs.

<u>Please note</u>: These factors are subject to review and may change with subsequent drafts of this document. Post-Closure Care

The post-closure care period is established to be 30 years or as long as the Executive Secretary determines is required for the facility or unit to become stabilized and to protect human health and the environment. During this period, maintenance must be ongoing to assure the integrity and effectiveness of the final cover and other required systems. Also included in this section is the cost for disposal of leachate, since leachate may still be generated during the post-closure care period. The costs for post-closure care are divided into engineering costs, construction costs and leachate disposal costs.

#### 1.0 Engineering Costs

Engineering costs include the preparation or amendment of a post-closure plan, site inspections, site monitoring, preparation of post-closure permits (at least two permit renewals may be required) and preparation of correctional plans if required.

#### 1.1 Post-Closure Plan

The post-closure plan provides a schedule for routine maintenance of the final cover system, the landfill security system, and the gas and groundwater monitoring systems. It also contains a schedule for the sampling and analysis of ground water and gas monitoring.

#### 1.2 Site Inspections

Site inspections should be performed at least semiannually and should include identification of areas experiencing settlement or subsidence, identification of erosion or other drainage-related problems, inspection of the fencing, and inspection of the leachate collection system and monitoring Systems.

#### 1.3 Correctional Plans and Specifications

Correctional plans and specifications include the costs for an engineering consultant to prepare plans and specifications to correct problems identified during the site inspections. This cost is obviously dependent upon the quality of care taken during the closure of the site and ongoing maintenance during previous post-closure care years. The cost may be higher during earlier post-closure care years and taper down to zero cost during the end of the post-closure care period.

#### 1.4 Site Monitoring

Site monitoring is the cost to perform semiannual ground water sampling and analysis for each on-site monitoring well. Gas monitoring is performed on a quarterly basis during the post-closure care period and should be included. Any gas collection system that is active may require monitoring can be included here or in section 2.2.3.

#### 2.0 Maintenance Costs

Post-closure maintenance costs include the costs to correct any problems determined by the site inspections and as specified by the engineer's correctional plans and specifications. These costs will also include any ongoing site maintenance that is needed throughout the post-closure care period.

#### 2.1 Cover Maintenance Costs

Subsidence and erosion of the cover may occur. These areas must be repaired and the vegetation reestablished. Also any damage to the compacted soil layer or the FMC, if present, must be repaired.

Utah Division of Solid and Hazardous Waste Solid Waste Program

#### 2.2 Equipment Maintenance

Ground water monitoring wells and any sampling equipment may need repair or replacement. Gas collection system surface equipment may need repair or replacement. Leachate collection system equipment may need maintenance or replacement.

#### 3.0 Final Plugging of Monitoring Wells

At the end of the post-closure care period the monitoring wells must be plugged in accordance with Utah Division of Water Rights rules.

#### 4.0 Leachate Disposal

Leachate disposal costs are difficult to estimate and would be required only at landfills that have a liner and a leachate collection system. Since the landfill will be closed, recirculating of leachate back into the landfill would not be possible. The owner or operator would base cost estimates on an average rate of leachate generation during the past few years of active life of the landfill unit and the cost of treatment that may be available or developed. Another factor that complicates matters, is that, during the post-closure period, the volume of leachate being generated should decrease substantially because the landfill unit has received a final cover.

#### 5.0 Site Maintenance

General maintenance of the site will continue throughout the post-closure period. Items such as fences and gates or other access controls, needed buildings and access roads will need to be maintained.

#### 6.0 Demonstration of Stability

The post-closure care period is not automatically ended at the end of 30 years. A site must be shown to be stable and not present a threat to health or the environment. Making the demonstration may require both analysis of current data and collection of new information. Both of these activities will require expenditures that must be allowed for.

Utah Division of Solid and Hazardous Waste Solid Waste Program page 18 of 22

## Landfill Closure and Post-Closure Care Reference Costs

The following are reference costs developed by the Oklahoma Department of Environmental Quality and can be used if no other costs are available (2005 update).

#### 2005 Worksheet for Calculating Closure and Post-closure Cost Estimates

All site data necessary to calculate estimates of closure and post-closure costs can be gathered by completing table H.1. Data from Table H.1 should be inserted into Tables H.2 and I.1 to complete calculations.

#### Table H.1 Site Data

#### **Facility Name:**

#### Permit Number:

Description	Quantity	Units
Total Permitted Area		acres
Active Portion		"这种"。然后的"多"的"多"。
Composite Lined		acres
Soil Lined		acres
Area of Largest Cell/Phase Requiring Final Cap		
Composite Lined		acres
Soil Lined		acres
Perimeter Fencing		linear feet
Groundwater Monitoring Wells		VLF
Methane Gas Probes		VLF
Terraces		linear feet
Letdown channels		linear feet
Perimeter drainage ditches		linear feet
Average Daily Flow		tons/day
Landfill Disposal Cost		\$/ton

VLF = Vertical linear feet. The sum of the depths of all monitoring wells.

#### Table H.2 Closure Cost Estimate

#### **Facility Name:**

#### **Permit Number:**

	Task/Service	Quantity	Units	Multiplier	Unit Cost <sup>b</sup>	Subtotal
1	Preliminary Site Work	The said of the	是/包含 第12章	The near the second	erregiskit gert	
a	Conduct Site Evaluation	1	Lump sum	1	\$2,952.93	\$2,952.93
b	Dispose Final Wastes	1000年 1987			144,641,751,751	人名斯特尔阿拉里
	Average Daily Flow	c	tons/day	Ship the state of the	المتحاصلة المحاجب المراك	A COLUMN
	Disposal Cost	d	tons/day	5	c	
С	Remove Temporary Building(s)	1	lump sum	1	\$2,631.24	\$2,631.24
d	Remove Equipment	1	lump sum	1	\$2,147.67	\$2,147.67
е	Repair/Replace Perimeter Fencing		linear feet	0.25	\$2.37	
f	Clean Leachate Line(s)	1	lump sum	1	\$1,342.43	\$1,342.43
2	<b>Monitoring Equipment</b>	5000 (A)	· 1.20 100 100 100 100 100 100 100 100 100 1			
a	Rework/Replace Monitoring Well(s)		VLF	0.25	\$44.45	
b	Plug Abandoned Monitoring Well(s)		VLF	0.25	\$19.06	
С	Rework/Replace Methane Probe(s)		VLF	0.25	\$38.39	

	·					
d	Plug Abandoned Methane Probe(s)		VLF	0.25	\$15.04	
e	Rework/Replace	1	lump sum	0.05	1	
	Remediation and/or Gas	1	lamp sam	0.05		1
	Control Equipment					l
3	Construction		2010日本語でしょう		self in a self trans	
a	Complete Site Grading to	1-30	acres	1	\$1,204.71	
"	include on- and off-site		acies	·	Ψ1,204.71	·
1 '	borrow areas					
b	Construct Final Cap	theory, or			g= 1 x 2	Bi Transidio resilical
<del>                                     </del>	Compacted On-site Clay	A STATE OF THE STA	cubic yards	1	\$3.43	337 31
	Cap or		cubic yards	1	\$5.45	
<b> </b>	Compacted Off-site Clay	<del></del>	cubic yards	1	\$5.55	
	Cap or		cubic yarus	1	\$5.55	
	Install Geosynthetic Clay	<del> </del>	square feet	1	\$0.42	
	Liner Cap		square reer	<b>'</b>	\$0.42	
C	Construct Landfill Gas	OFFICE CONTRACTOR OF THE	\$725 Dake 11 0 0 0 0		Janes 1	gar jerger (1982)
	Venting Layer				The second second	
<del></del>	Place Sand or	4	acres	1	\$32,218.27	William Control State Control Control
<b></b>	Install Net and	·	square feet	1	\$0.29	
	Geotextile		square reet		\$0.29	
d	Install Passive Landfill	<del> </del>	acres	1	\$537.18	
"	Gas Vents	1	acies	1	\$337.10	
e	Install Flexible	<del> </del>	square feet	1	\$0.35	
	Membrane Liner	1	square rect	•	00.55	
f	Drainage Layer	4.45 Syst 700	44.00 A.	TO WAS TO SHAPE	LAFET Z. LAFT	
1	Place Sand or		acres	1	\$32,218.27	
	Install Net and Geonet	<del></del>	square feet	1	\$0.29	
g	Place On-site Topsoil		cubic yards	1	\$1.61	
-5	Place Off-site Topsoil	<del></del>	cubic yards	<del> </del>	\$12.89	
h	Establish vegetative		acres	i	\$429.95	
"	cover, including on- and		acies	•	4125.55	
	off-site borrow areas	1				
4	Drainage/erosion	STEELS STOLL AND	# ACT 19.00			
'	control	100			1	走过来
a	Construct Terraces	A CAMPAGE CONTRACTOR	linear feet	1	\$7.78	34, 34,
Ь	Construct Letdown		linear feet	1	\$5.95	
	Channels	1	1111041 1000	•	}	
С	Clean Perimeter		linear feet	0.50	\$5.04	
	Drainage Ditches					
5	Tasks Not Identified	<b>分型分类型 医多类</b>	dry halfel	Contract to the second		
6	Subtotal		2967 J. F. J. S. JA		建。4年次3年代	
7	Administrative Services	1	lump sum	0.10	g	
8	Technical and	1	lump sum	0.12	g	
-	Professional Services			-		
9	Closure Contingency	1	lump sum	0.10	g	
10	Total Final Closure	in Lawrence Agent				h
لــــــــــــــــــــــــــــــــــــــ		<u>ئىن ئىنىنىلىقى سىئتى، سى</u>				

Multipliers are determined from the Solid Waste Financial Assurance Program Report, December 22, 2000.

b Unit costs include a 2.10% inflationary adjustment from the 2004 figures.

New facilities: Insert the value for "W" in OAC 252:515-27-8(a)(2). Existing facilities: Insert reported annual tonnage for the previous year, divided by 312 operating days per year (52 weeks per year x 6 operating days per week).

Insert number of tons/day from above.

Insert landfill disposal cost per ton of waste (\$/ton).

Utah Division of Solid and Hazardous Waste Solid Waste Program page 21 of 22

- Input capital cost for gas control/remediation equipment, if installed at the site. Input subtotal from line 6. Add rows 6 through 9.

#### **Post-closure Cost Estimate** Table I.1

#### Facility Name:

Permit Number

			T		
Task/Service	Quantity	Units	Multiplier	Unit Cost <sup>b</sup>	Subtotal
	artification for	中的一种的一种	为世。据2007,编程	人。編輯的2.00%	<b>对于多数中部</b>
Site Inspections			30	· !	\$16,115.36
	4	per year		\$537.18	
					\$4,297.44
General Maintenance			30		\$48,314.70
	1	per year		\$1,610.49	
			8		\$12,883.92
	'		0.25	d	
				L .	Address a secondary of the Company
	,	VLF	0.25	\$44.45	·
Monitoring well(s)		VI E	0.26	610.06	<del></del>
		VLF	0.23	\$19.06	
		VIE	1	\$10.06	
		VLF	1	\$19.00	
		VIE	0.25	\$38.30	
		V LI	0.23	\$50.57	
Plug Ahandoned		VIF	0.25	\$15.04	
		V 12.1	0.23	Ψ15.04	
Final Plugging of		VLF	1	\$15.04	
		, 22		<b>4.5.6</b>	
		VLF	1	\$15.04	
		. — -			
	三面跨 34500	3.64° 3.55° 3.25	<b>第</b> 25章 公司	的主题的情况	"。 <b>这样</b> 的,这样是否
Groundwater Monitoring			60		
Wells	1	wells		e	·
			16		
Methane Gas Probes			60		
Surface Water		points	60	\$69.81	
		sample	60	\$112.48	
					valent in an <del>i ti</del> ti
				A THE PART	Janes Lander
	Ì		30	0171.05	
Vegetative Cover		acres		\$1/1.35	
Danain Francisco	<del> </del>				<del> </del>
		aorea	] 30	¢2 14	
	1	acies		<b>JZ.14</b>	
			°		
		· · · · · · · · · · · · · · · · · · ·	30		
		acres	]	\$12.80	
•	[	40100	1 8 1	Ψ.Δ	
Soils					
	Site Inspections  General Maintenance  Remediation and/or Gas Control Equipment Monitoring equipment Rework/Replace Monitoring Well(s) Plug Abandoned Monitoring Well(s) Final Plugging of Monitoring Wells Rework/Replace Methane Probe(s) Plug Abandoned Methane Probe(s) Final Plugging of Methane Probes Final Plugging of Methane Probes Final Plugging of Piezometer(s) Sampling and analysis Groundwater Monitoring Wells  Methane Gas Probes Surface Water Monitoring Points Leachate Final cover maintenance Mow and Fertilize Vegetative Cover  Repair Erosion, Settlement, and Subsidence for On-site Soils Repair Erosion, Settlement, and Subsidence for Off-site	Site Inspections  General Maintenance  I Remediation and/or Gas Control Equipment  Rework/Replace Monitoring equipment Rework/Replace Monitoring Well(s) Plug Abandoned Monitoring Well(s) Final Plugging of Monitoring Wells Rework/Replace Methane Probe(s) Plug Abandoned Methane Probe(s) Final Plugging of Methane Probes Final Plugging of Methane Probes Final Plugging of Piezometer(s) Sampling and analysis Groundwater Monitoring Wells  Methane Gas Probes Surface Water Monitoring Points Leachate Final cover maintenance Mow and Fertilize Vegetative Cover  Repair Erosion, Settlement, and Subsidence for On-site Soils Repair Erosion, Settlement, and Subsidence for Off-site	Site Inspections  4 per year  General Maintenance  1 per year  Remediation and/or Gas Control Equipment  Monitoring equipment Rework/Replace Monitoring Well(s)  Plug Abandoned Monitoring Well(s)  Final Plugging of Monitoring Wells  Rework/Replace Methane Probe(s)  Plug Abandoned Methane Probe(s)  Plug Abandoned Methane Probe(s)  Final Plugging of Methane Probes  Final Plugging of Piezometer(s)  Sampling and analysis  Groundwater Monitoring Wells  Methane Gas Probes  Surface Water Monitoring Points  Leachate  Final cover maintenance  Mow and Fertilize Vegetative Cover  Repair Erosion, Settlement, and Subsidence for Off-site	Site maintenance Site Inspections  4 per year  8  General Maintenance 1 per year 8  Remediation and/or Gas Control Equipment Rework/Replace Monitoring Well(s) Plug Abandoned Monitoring Well(s) Final Plugging of Monitoring Wells Rework/Replace Monitoring Wells Final Plugging of Mothane Probe(s) Plug Abandoned Mothane Probe(s) Final Plugging of Methane Probe(s) Final Plugging of Methane Probes Final Plugging of Methane Frobes Final Plugging of Methane Gas Probes Surface Water Monitoring Points Leachate Final cover maintenance Mow and Fertilize Vegetative Cover  Repair Erosion, Settlement, and Subsidence for On-site Soils Repair Erosion, Settlement, and Subsidence for Off-site	Site Inspections



# **Utah Division of Solid and Hazardous Waste** Solid Waste Management Program

Mailing Address P.O. Box 144880 Salt Lake City, Utah 84114-4880 Office Location 288 North 1460 West Salt Lake City, Utah 84116 Phone (801) 538-6170 Fax (801) 538-6715

# Preparation of Solid Waste Facility Closure and Post-Closure Cost Estimates

#### Guidance

#### Introduction

This guidance is not a rule. It has been prepared to give the reader information, in plain language, about how the Division of Solid and Hazardous Waste expects to interpret Utah Administrative Code (UAC) R315-302-3. In the event questions arise regarding the matters discussed in this guidance, the text of the rule will govern.

#### Cost Estimates and Financial Assurance

#### Closure

Owners or operators are required to provide cost estimates, in current dollars, for a third party to conduct and complete closure activities (i.e., hiring qualified contractors to perform closure activities). Estimates must equal the maximum closure costs at any time during the life of the facility or cell; or the permit life, whichever is shorter. Estimates must be included for each closure activity. If closure will be conducted in phases, cost estimates for completing each phase should be provided. A sample worksheet for estimating costs is attached to this guidance. A worksheet with costs for some of the items is also provided. The costs shown were developed for the Oklahoma Department of Environmental Quality and reflect costs in Oklahoma. Basic closure cost items should include, if applicable:

- Design cost to provide construction level design details for the closure.
- · Ground water monitoring analysis costs, well maintenance and replacement.
- Gas control system installation, if any is needed in addition to control systems installed in the waste.
- Costs for any additional equipment to treat use or dispose of the gas.
- Final cover installation and material cost including:
  - a. Clay material acquisition, placement, and compaction.
  - Vegetative layer material acquisition, placement and grading or placement of any other approved layer to protect the compacted soil layer.
  - Any geomembranes, drainage layers or other cover layers as required by the permit and plans.

- d. Seeding, fertilization, soil amendments and mulch.
- Installation of any additional control or monitoring features as necessary.

#### **Post-Closure**

Provide cost estimates, in current dollars, for a third party to conduct and complete post-closure activities. Estimates must equal the maximum post-closure costs at any time during the post-closure period. Estimates should include figures for each post-closure activity and an estimate of the total cost of post-closure care for the thirty-year post-closure period. Include assumptions made in preparing the cost estimates. The basic post-closure cost items should include, if applicable:

- Final cover maintenance and repair. Use the following for estimating the amount of work to be done each year.
  - a. Erosion repair; use one foot of cover over 5% of the landfill area per year.
  - b. Vegetation repair; use 10% of the landfill area per year.
- Leachate collection, treatment, disposal and maintenance should include costs for:
  - Operation
  - b. Sampling and analyses
  - c. Maintenance and repair
- Ground water monitoring should include costs for:
  - a. Sampling
  - b. Analyses
  - c. Maintenance and repair
- · Gas monitoring should include costs for:
  - Sampling
  - b. Analyses (if necessary)
  - c. Maintenance and repair
- Gas control systems, if required, should include costs for:
  - a. Operation
  - b. Maintenance and repair
- Any other monitoring or sampling required by other environmental programs should be included in the total cost of post-closure care.
- Record keeping and reporting is required by UAC R315-302-2 and the cost of these activities should be included in the total post-closure care cost estimate.

- Site inspections to oversee cover repairs and post-closure care.
- Cost of two post-closure care permit renewals.
- Costs associated with demonstrating that the site is stable and that the post-closure care period
  can be terminated.

#### **Adjustments**

Landfill owners or operators must annually adjust their final closure and post-closure costs for inflation or facility modifications that would affect closure or post-closure care costs (R315-309-2(2)). The following describes how to perform an inflation adjustment calculation using an inflation factor.

The inflation factor is derived from the most recent annual "Implicit Price Deflator for Domestic Product" published by the U.S. Department of Commerce in its *Survey of Current Business* in the year for which the adjustment is being made. The inflation factor is the result of dividing the latest published annual Deflator by the Deflator for the previous year.

The first annual adjustment should occur the first year after the permit is approved by the Executive Secretary and each following year unless the actual closure costs are recalculated. The first adjustment should be made by multiplying the closure and post-closure care costs given in the permit application by the inflation factor. Subsequent adjustments should be made annually by multiplying the latest values for closure and post-closure care costs by the latest inflation factor. This process of adjustment should be utilized until the actual closure and post-closure care costs are recalculated. At the time of permit renewal the closure and post-closure care costs must be recalculated using the current approved design and current construction costs.

The price deflator can be found on the US Department of Commerce web site at: <a href="http://www.bea.doc.gov/bea/dn/nipaweb/SelectTable.asp?Selected=N#S1">http://www.bea.doc.gov/bea/dn/nipaweb/SelectTable.asp?Selected=N#S1</a>. From the web site go to Table 7.2 "Quantity and Price Indexes for Gross Domestic Product, Final Sales, and Purchases." The Price Deflator is shown as line #4 of Table 7.2.

In developing cost estimates and annual updates, it may be helpful to enlist the assistance of contractors that could perform closure or post-closure activities. Selected contractors may be provided with specifications and assumptions and ask to develop the estimates based on your specifications. Copies of documentation of the contractors' estimates should be included in the permit application. A line-by-line review and calculation along with determination of the average cost for each item should be done based on each contractor's estimates.

If any corrective action program is anticipated during the post-closure period, contact DSHW for more information. A detailed cost estimate and additional financial assurance instrument are required for corrective action.

#### **Additional Information**

The initial closure and post-closure plans are submitted as part of a permit application and become part of the approved permit. Subsequent changes due to permit modifications, regulatory changes, operational changes, or unforeseen circumstances (e.g., increase/decrease in fill rate or premature closure with less than the total acreage utilized) which substantially affect the time schedule or costs of closure and post-closure will necessitate closure and post-closure plan and cost estimate modifications. These modifications must be submitted to the Executive Secretary for approval. In addition, adjustments to the cost estimates must be submitted with the annual report and be approved by the Executive Secretary approval.

## **ESCROW AGREEMENT**

I.

SUMMARY

A.	Parties t	o the Agreemen	t:
	1.	Depositor: Address:	Escalante City (the "Entity") P.O. Box 189 Escalante, Utah 84726
		Contact: V	ickie Schulkoski Tel. No. 435-826-4644 Cindi Steed Tel. No. 435-826-4644
	2.	State Agency Address:	Utah Division of Solid & Hazardous Waste (the "State") P.O. Box 144880 Salt Lake City, Utah 84114-4880
		Contact:	Ralph Bohn, Section Mgr. Tel. No. 801-538-6170 Tel. No. Tel. No. Tel. No.
	3.	Escrow Agen	t:Utah State Treasurer (the "Treasurer") 215 State Capitol Salt Lake City, Utah 84114
		Contact:	Robert C. Kirk, Financial Manager Stephanie Baldes, Accountant
		Telephone:	(801)538-1042 Telefax: (801)538-1465 Toll free: 800-395-7665
В.	Depo	sit Amount(s):	
	1.	Princi	pal amount \$ <u>2805.26</u> (the "Proceeds") as of 5/15/0
	2.	Additional an	nount(s), if any:
		\$ \$ \$	From:From:From:
C.	Auth	orizing Resoluti	on:
			(the"Instrument")
D.	Proje	ct Description:	unitil Cosure
	This S	Summary is an inter	(the "Project")

#### II. AGREEMENT

- A. The undersigned hereby deliver to the Treasurer, the Proceeds and Additional amount(s) to be held and disposed of by the Treasurer in accordance with the duties, instructions, and upon the terms and conditions hereinafter set forth in this Escrow Agreement to which the undersigned hereby agree:
  - 1. For purposes of this Escrow Agreement and this Escrow Agreement only:
    - (a) The Treasurer shall not incur any liability in acting upon any written authorization and request delivered hereunder and believed by the Treasurer to be genuine and to be signed by the proper parties.
    - (b) The Treasurer may consult with legal counsel in the event of any dispute or question as to the construction of the Treasurer's duties hereunder and shall not be held to any liability for acting in accordance with advice so received.
    - (c) The Treasurer shall have a first lien on the moneys held by it hereunder for its compensation and for any costs, liability or expense or counsel fees it may incur.
  - 2. In the event of any disagreement between the undersigned or any of them, and/or any other person, resulting in adverse claims and demands being made in connection with or for any moneys involved herein or affected hereby, the Treasurer shall be entitled at its option to refuse to comply with any such claim or demand, so long as such disagreement shall continue, and in so refusing the Treasurer may refrain from making any delivery or other disposition of any moneys involved herein or affected hereby and in so doing the Treasurer shall not be or become liable to the undersigned or any of them or to any person or party for its failure or refusal to comply with such conflicting or adverse demands, and the Treasurer shall be entitled to continue so to refrain and refuse so to act until:
    - (a) The rights of the adverse claimants have been finally adjudicated in a court assuming and having jurisdiction of the parties and the moneys involved herein or affected hereby; and/or
    - (b) All differences shall have been adjusted by agreement and the Treasurer shall have been notified thereof in writing signed by all of the persons interested.
  - 3. The fees for the usual services of the Treasurer under the terms of this Escrow agreement are set forth in the schedule attached hereto as **Exhibit A**. It is agreed that additional compensation shall be paid to the Treasurer for any additional or extraordinary service it may be requested to render hereunder, and the Treasurer shall be reimbursed for any out-of-pocket expenses (including, without limitation, fees of counsel) reasonably incurred in connection with additional or extraordinary services.
  - 4. The Entity and the State hereby agree that the deposit of the Proceeds shall constitute compliance with applicable deposit and investment provisions of the Instrument.
  - 5. The duties of the Treasurer under the terms of this Escrow Agreement are as follows:
    - (a) The Treasurer shall receive into a separate fund (the "Escrow Account") Proceeds and any additional amounts to be used in connection with the Project.
    - (b) The Treasurer shall reimburse Entity in amounts authorized in writing by the Entity and the State.
    - (c) Each authorization must be signed by one official form both the Entity and the State, except as provided in (i)of this section, and shall be substantially the same as the form attached as Exhibit B. On behalf of the Entity, the written authorization and request shall be signed by any one of the officials of the Entity identified in Section I.A. 1. above. On behalf of the State, the written authorization and request shall be signed by any one of the officials of the State identified in Section I.A.2. above. The Treasurer assumes no responsibility for expenditure

of moneys paid out of the Escrow Account pursuant to a written authorization and request properly signed and delivered the Treasurer as provided herein.

- If the Entity fails to provide closure, post-closure, or corrective action of the solid waste management facility as required by the *Utah Solid Waste Permitting and Management Rules* and the Entity's solid waste disposal permit, the Executive Secretary will issue an order to close under the authority of Section 19-6-107(7) of the Utah Solid and Hazardous Waste Act. Upon completion of the Administrative process, including the Entity's right to contest and appeal the administrative action, the State may independently request, in writing, reimbursement to a State-approved and authorized third party for the costs related to the third party's activities for closure, post-closure or corrective actions at the facility.
- (d) If a written authorization and request indicates that an amount (the "Retained Amount") payable to a Provider is to be held for retainage pending completion of the Project or the lapse of time, the Treasurer shall segregate such amount and shall invest the Retained Amount in an interest-bearing account (the "Separate Account"), the interest on which shall accrue for the benefit of the Provider. The Retained Amount and all accrued interest thereon shall be disbursed by the Treasurer in the same manner as provided in paragraph 5(b) hereof. All fees charged or incurred by the Treasurer relating to the establishment, investment and disbursement of the Separate Account shall be borne solely by the Provider and may be withheld by the Treasurer from the Separate Account prior to the disbursement thereof; provided, however, that if such fees are borne by the Separate Account, and if the interest earned on the Separate Account is less than the amount of such fees, then the fees withheld from such Separate Account shall not exceed the interest earned and the balance of such fees shall be paid by the Entity.
- (e) The funds deposited by the parties hereto in the Escrow Fund and in any Separate Account shall be invested by the Treasurer in the Utah Public Treasurers' Investment Fund established by Section 51-7-5 of the Utah Code. All interest earned on moneys held in the Escrow Account shall be retained therein and disbursed as provided herein.
- (f) The Treasurer shall report at least monthly concerning the receipts, disbursements and status of the Escrow Account. The reports shall be mailed to the Entity and to the State at their respective addresses as shown in Section I.A. above. Notification of changes of address, if any, shall be in writing and mailed to the parties at their respective addresses as shown in Section I.A. above.
- (g) This Escrow Agreement will be terminated after payment of the fees and out-of-pocket expenses of the Treasurer, and upon liquidation of the Escrow Account as provided herein. This Escrow Account, upon the earlier to occur of:
  - (i) receipt by the Treasurer of a written authorization and request, signed as provided in paragraph 5(c) hereof, stating that the acquisition, construction, improvement and extension of the Project is complete, that all obligations and costs in connection with the Project which are payable out of the Escrow Account have been paid and discharged, and that the Treasurer is authorized and directed to transfer all moneys in the Escrow Fund to the Entity or such other disposition as may be agreed by the State and the Entity; or
  - (ii) receipt by the Treasurer of a written certificate of the State, signed by the appropriate representatives thereof as identified in paragraph 5(c) hereof, stating that at least \_\_\_months have expired from the date of this Agreement and that all remaining moneys in the Escrow Account are to be transferred to the State as a prepayment on the Bond purchased by the State or such other disposition as may be specified by the State.

6.	This Agreement may be modified or amend signed by the parties to this Agreement.	led only	by a written Amendment attached to this Agreement and
	•	Entity	Escalante City
		Ву:	Santal
		Title:	Mayor
		Date:	5/15/06
Atte	est and Countersign: Shulko	oki	
Title	e: City Recorder	<del>-</del> .	
Dat	e: 5/15/06	_	
		STAT	E: Utah Division of Solid and Hazardous Waste
		Ву: _	
		Title:	Executive Secretary Utah Solid & Hazardous Waste Control Board
		Date:	
Acc	eepted:		
Uta	h State Treasurer		
Ву:		-	
Titl	e:	-	
Dat	e:	_	

#### EXIIIBIT A

# Fees due to State Treasurer as Escrow Agent

Maximum annual fee is 10 basis points (one-tenth of one percent (.001)) applied to the average daily balance in each account. The fee is assessed monthly based on the actual number of days in the month divided by 360 days.

Minimum annual fee is zero.

The Treasurer intends to deduct the administrative fee from gross earnings of each account before crediting earnings to the account(s). The amount of such fees in not reflected on monthly statements to the Entity, and is payable only from gross earnings on the account(s).

Entity shall not be liable to the Treasurer for any other costs or expenses for usual services. Usual services include:

- 1. Acceptance of funds delivered for deposit.
- 2. Deposit of funds and issuance of Treasurer's Receipt.
- 3. Investment of all funds delivered to Treasurer.
- 4. Credit net interest earnings to designated account(s) on a monthly basis.
- 5. Reimburse entity for project costs pursuant to receipt of a written authorization and request properly signed and delivered to the Treasurer.
- 6. Prepare and deliver to Entity and State a monthly accounting showing all deposits, withdrawals, interest credits and rate, ending balance and average balance for each account.

Entity will be liable to the Treasurer for out-of-pocket expenses resulting from any additional or extraordinary service Treasurer is requested to render and reasonably incurs in connection with additional or extraordinary services.

## EXHIBIT B -1

# WRITTEN AUTHORIZATION AND REQUEST FOR REIMBURSEMENT FROM ESCROW FUND

TO:	The Utah State Treasurer, as Escrow Agent (the "Treasurer").				
DA	TE:				
	ITTEN REQUEST NO.:				
7.	Pursuant to the provisions of the Escrow Agreement by and between the Entity, the State and the Treasurer dated, (the "Escrow Agreement"), the undersigned hereby authorizes and requests a reimbursement from the Escrow Account to pay the amounts shown on the attached Payment Schedule.				
8.	Each payment proposed to be made as set forth on the Payment Schedule has been incurred and is a proper charge against the Escrow Account.				
9.	To the extent that the payment of any item set forth on the Payment Schedule is for other than work, materials, equipment or supplies, in connection with this authorization and request, the undersigned certifies that each payment proposed to be made on the Payment Schedules is a proper charge against the Escrow Account, is a reasonable amount and has not been heretofore included in a prior Written Authorization and Request for Reimbursement for the Escrow Account.				
10.	0. This Written Authorization and Request, including the Payment Schedule attached hereto, shall be conclusive evidence of the facts and statements set forth herein.				
11.	A copy of this Written Authorization and Request is being kept on file in the official records of the Entity.				
the	The terms used herein which are defined in the Escrow Agreement shall have the respective meanings rein assigned to them.				
	Landal				
•	By: Don Porter				
	Marian				

#### **EXHIBIT B-2**

I/we, the undersigned authorized officer(s) of the State, do hereby certify and request to the Treasurer as follows:

- 1. I/we have reviewed the foregoing statements of the authorized officer of the Entity attached hereto, and on behalf of the State approve the request for payment from the Escrow Fund made therein; provided that the State has not independently verified the statements of such authorized officer of the Entity attached hereto and makes no representations or certifications with respect thereto.
- 2. A copy of this Written Authorization and Request is being kept on file in the official records of the State.

The terms used herein shall have the same meanings assigned to them in the attached statements of the authorized officer of the Entity.

Dated the date appearing at the top of the attached statements of the authorized officer of the Entity.

STATE:		
Ву:	·	 
Title:		 

# EXHIBIT B -3

# REIMBURSEMENT SCHEDULE

Check No.	Person or Firm	Amount	Purpose
			· · · · · · · · · · · · · · · · · · ·
		•	
		. •	
Reimbursement fo	or the above listed payments tot	aling \$	is to be made to scrow Account (PTIF#
CHECK ONE):	("Entity") by transf	fer of funds from the Es	scrow Account (PTIF#
0112011 0112).			
	general account in the Public Tr	easurer's Investment F	und
(PTIF#); o			
Entity's c	hecking account at		("Bank").
Account	number	· · · · · · · · · · · · · · · · · · ·	
RETAINAGE RI	EQUEST		
In addition to the a	above listed reimbursement, tra ct.# To Retainage Acct.#		
From Escrow Ac	ct.# 10 Retainage Acct.#	roi Contractor (na	me) #Amount
		·	
Contact Person at	time of Wire Transfer	<del></del>	
	(nar	ne)	(phone #)

# UTAH STATE TREASURER UTAH PUBLIC TREASURERS' INVESTMENT FUND New Account Application and Change Form

A. Title of Account	Escalante Landfil	11 Account					
B. PTIF Account Numb	er(s) 2175						
ACTION:  ☐ Create New PTIF  (Sec. A,C,D,E,F)  ☐ Change Address (A,B,D,F)	A,B,E,F).	☐ Add Bank/Account (Sec.  A,B,E,F) ☐ Change Internet Access (Sec. A,B,C,F)					
1. Cindi Steed 2. Vickie Schulkos 3. Don Porter 4	1. Cindi Steed Treasurer 435-826-4644 2. Vickie Schulkoski City Recorder 435-826-4644 3. Don Porter Mayor 435-826-4644 4.						
D. PTIF Statement Mailing A  E. Bank (Depository) Inform	Attn: Cindi Steed	calante, Ut. 84726					
New/Additional Bank	Delete B	ank					
a. Name of Bank	Name of Bank						
b. Account Number ☐ Checking ☐ Savings		per					
the undersigned hereby author automated clearing house (AC above is authorized to credit at	ze the Utah State Treasurer to make the abo	bank indicated above. The depository named uthorization is to remain in full force and					
Name VICKO	Name	ara VIVA					
Title (174 KCCO	Title Y	casurer					

#### TWO SIGNATURES REQUIRED

Please attach a deposit slip and return this form to:

Utah State Treasurer's Office 215 State Capitol Salt Lake City, Utah 84114

\* Must be a registered user, see our website at www.treasurer.state.ut.us

ELIENA

# **ESCROW AGREEMENT**

**SUMMARY** 

I.

•	Parties (	to the Agreemen	t:
	1.	Depositor: Address:	Escalante City (the "Entity") P.O. Box 189 Escalante, Utah 84726
		Contact: V	lickie Schulkoskitel. No. 435-826-4644 Cindi Steed tel. No. 435-826-4644
	2.	State Agency Address:	Utah Division of Solid & Hazardous Waste (the "State") P.O. Box 144880 Salt Lake City, Utah 84114-4880
		Contact:	Ralph Bohn, Section Mgr.         Tel. No.         801-538-6170           Tel. No.         Tel. No.
	3.	Escrow Agen	t:Utah State Treasurer (the "Treasurer") 215 State Capitol Salt Lake City, Utah 84114
		Contact:	Robert C. Kirk, Financial Manager Stephanie Baldes, Accountant
		Telephone:	(801)538-1042 Telefax: (801)538-1465 Toll free: 800-395-766
•	Depo	osit Amount(s):	m.
	1.	Princi	pal amount \$ 3805.96 (the "Proceeds") as of 4/3
	2.	Additional an	nount(s), if any:
		\$ \$ \$	From: From: From:
	Auth	orizing Resoluti	on:
			(the"Instrument")
).	Proje	ect Description:	Whatil Goswe
	This 9	Summary is an inter	gral part of the Escrow Agreement (the "Project")

#### II. AGREEMENT

- A. The undersigned hereby deliver to the Treasurer, the Proceeds and Additional amount(s) to be held and disposed of by the Treasurer in accordance with the duties, instructions, and upon the terms and conditions hereinafter set forth in this Escrow Agreement to which the undersigned hereby agree:
  - 1. For purposes of this Escrow Agreement and this Escrow Agreement only:
    - (a) The Treasurer shall not incur any liability in acting upon any written authorization and request delivered hereunder and believed by the Treasurer to be genuine and to be signed by the proper parties.
    - (b) The Treasurer may consult with legal counsel in the event of any dispute or question as to the construction of the Treasurer's duties hereunder and shall not be held to any liability for acting in accordance with advice so received.
    - (c) The Treasurer shall have a first lien on the moneys held by it hereunder for its compensation and for any costs, liability or expense or counsel fees it may incur.
  - 2. In the event of any disagreement between the undersigned or any of them, and/or any other person, resulting in adverse claims and demands being made in connection with or for any moneys involved herein or affected hereby, the Treasurer shall be entitled at its option to refuse to comply with any such claim or demand, so long as such disagreement shall continue, and in so refusing the Treasurer may refrain from making any delivery or other disposition of any moneys involved herein or affected hereby and in so doing the Treasurer shall not be or become liable to the undersigned or any of them or to any person or party for its failure or refusal to comply with such conflicting or adverse demands, and the Treasurer shall be entitled to continue so to refrain and refuse so to act until:
    - (a) The rights of the adverse claimants have been finally adjudicated in a court assuming and having jurisdiction of the parties and the moneys involved herein or affected hereby; and/or
    - (b) All differences shall have been adjusted by agreement and the Treasurer shall have been notified thereof in writing signed by all of the persons interested.
  - 3. The fees for the usual services of the Treasurer under the terms of this Escrow agreement are set forth in the schedule attached hereto as Exhibit A. It is agreed that additional compensation shall be paid to the Treasurer for any additional or extraordinary service it may be requested to render hereunder, and the Treasurer shall be reimbursed for any out-of-pocket expenses (including, without limitation, fees of counsel) reasonably incurred in connection with additional or extraordinary services.
  - 4. The Entity and the State hereby agree that the deposit of the Proceeds shall constitute compliance with applicable deposit and investment provisions of the Instrument.
  - 5. The duties of the Treasurer under the terms of this Escrow Agreement are as follows:
    - (a) The Treasurer shall receive into a separate fund (the "Escrow Account") Proceeds and any additional amounts to be used in connection with the Project.
    - (b) The Treasurer shall reimburse Entity in amounts authorized in writing by the Entity and the State.
    - (c) Each authorization must be signed by one official form both the Entity and the State, except as provided in (i)of this section, and shall be substantially the same as the form attached as Exhibit B. On behalf of the Entity, the written authorization and request shall be signed by any one of the officials of the Entity identified in Section I.A. 1. above. On behalf of the State, the written authorization and request shall be signed by any one of the officials of the State identified in Section I.A.2. above. The Treasurer assumes no responsibility for expenditure

of moneys paid out of the Escrow Account pursuant to a written authorization and request properly signed and delivered the Treasurer as provided herein.

- If the Entity fails to provide closure, post-closure, or corrective action of the solid waste management facility as required by the *Utah Solid Waste Permitting and Management Rules* and the Entity's solid waste disposal permit, the Executive Secretary will issue an order to close under the authority of Section 19-6-107(7) of the Utah Solid and Hazardous Waste Act. Upon completion of the Administrative process, including the Entity's right to contest and appeal the administrative action, the State may independently request, in writing, reimbursement to a State-approved and authorized third party for the costs related to the third party's activities for closure, post-closure or corrective actions at the facility.
- (d) If a written authorization and request indicates that an amount (the "Retained Amount") payable to a Provider is to be held for retainage pending completion of the Project or the lapse of time, the Treasurer shall segregate such amount and shall invest the Retained Amount in an interest-bearing account (the "Separate Account"), the interest on which shall accrue for the benefit of the Provider. The Retained Amount and all accrued interest thereon shall be disbursed by the Treasurer in the same manner as provided in paragraph 5(b) hereof. All fees charged or incurred by the Treasurer relating to the establishment, investment and disbursement of the Separate Account shall be borne solely by the Provider and may be withheld by the Treasurer from the Separate Account prior to the disbursement thereof; provided, however, that if such fees are borne by the Separate Account, and if the interest earned on the Separate Account is less than the amount of such fees, then the fees withheld from such Separate Account shall not exceed the interest earned and the balance of such fees shall be paid by the Entity.
- (e) The funds deposited by the parties hereto in the Escrow Fund and in any Separate Account shall be invested by the Treasurer in the Utah Public Treasurers' Investment Fund established by Section 51-7-5 of the Utah Code. All interest earned on moneys held in the Escrow Account shall be retained therein and disbursed as provided herein.
- (f) The Treasurer shall report at least monthly concerning the receipts, disbursements and status of the Escrow Account. The reports shall be mailed to the Entity and to the State at their respective addresses as shown in Section I.A. above. Notification of changes of address, if any, shall be in writing and mailed to the parties at their respective addresses as shown in Section I.A. above.
- (g) This Escrow Agreement will be terminated after payment of the fees and out-of-pocket expenses of the Treasurer, and upon liquidation of the Escrow Account as provided herein. This Escrow Account, upon the earlier to occur of:
  - (i) receipt by the Treasurer of a written authorization and request, signed as provided in paragraph 5(c) hereof, stating that the acquisition, construction, improvement and extension of the Project is complete, that all obligations and costs in connection with the Project which are payable out of the Escrow Account have been paid and discharged, and that the Treasurer is authorized and directed to transfer all moneys in the Escrow Fund to the Entity or such other disposition as may be agreed by the State and the Entity; or
  - (ii) receipt by the Treasurer of a written certificate of the State, signed by the appropriate representatives thereof as identified in paragraph 5(c) hereof, stating that at least \_\_\_months have expired from the date of this Agreement and that all remaining moneys in the Escrow Account are to be transferred to the State as a prepayment on the Bond purchased by the State or such other disposition as may be specified by the State.

6. This Agreement may be modified or amend signed by the parties to this Agreement.	led only by a written Amendment attached to this Agreement and
	Entity: Escalante City
	By: Wanted
	Title: Mayor
	Date: 5/15/06
Attest and Countersign:	koski
Title: City Recorder	_
Date: 5/15/06	<del>-</del>
	STATE: Utah Division of Solid and Hazardous Waste
	Ву:
	Title: Executive Secretary Utah Solid & Hazardous Waste Control Board
	Date:
Accepted:	
Utah State Treasurer	
By:	<u>-</u>
Title:	_
Date:	

#### EXIIIBIT A

# Fees due to State Treasurer as Escrow Agent

Maximum annual fee is 10 basis points (one-tenth of one percent (.001)) applied to the average daily balance in each account. The fee is assessed monthly based on the actual number of days in the month divided by 360 days.

Minimum annual fee is zero.

The Treasurer intends to deduct the administrative fee from gross earnings of each account before crediting earnings to the account(s). The amount of such fees in not reflected on monthly statements to the Entity, and is payable only from gross earnings on the account(s).

Entity shall not be liable to the Treasurer for any other costs or expenses for usual services. Usual services include:

- 1. Acceptance of funds delivered for deposit.
- 2. Deposit of funds and issuance of Treasurer's Receipt.
- 3. Investment of all funds delivered to Treasurer.
- 4. Credit net interest earnings to designated account(s) on a monthly basis.
- 5. Reimburse entity for project costs pursuant to receipt of a written authorization and request properly signed and delivered to the Treasurer.
- 6. Prepare and deliver to Entity and State a monthly accounting showing all deposits, withdrawals, interest credits and rate, ending balance and average balance for each account.

Entity will be liable to the Treasurer for out-of-pocket expenses resulting from any additional or extraordinary service Treasurer is requested to render and reasonably incurs in connection with additional or extraordinary services.

## EXHIBIT B -1

# WRITTEN AUTHORIZATION AND REQUEST FOR REIMBURSEMENT FROM ESCROW FUND

TO	:	The Utah State Treasurer, as Escrow Agent (the "Treasurer").				
DA	TE:					
WR	WRITTEN REQUEST NO.:					
do l	I, the undersigned authorized officer of CUUTC (the "Entity"), do hereby certify and request to the Treasurer as follows:					
7.	Pursuant to the provisions of the Escrow Agreement by and between the Entity, the State and the Treasurer dated, (the "Escrow Agreement"), the undersigned hereby authorizes and requests a reimbursement from the Escrow Account to pay the amounts shown on the attached Payment Schedule.					
8.	Each payment proposed to be made as set forth on the Payment Schedule has been incurred and is a proper charge against the Escrow Account.					
9.	To the extent that the payment of any item set forth on the Payment Schedule is for other than work, materials, equipment or supplies, in connection with this authorization and request, the undersigned certifies that each payment proposed to be made on the Payment Schedules is a proper charge against the Escrow Account, is a reasonable amount and has not been heretofore included in a prior Written Authorization and Request for Reimbursement for the Escrow Account.					
10.	0. This Written Authorization and Request, including the Payment Schedule attached hereto, shall be conclusive evidence of the facts and statements set forth herein.					
11.	A copy o Entity.	f this Written Authorization and Request is being kept on file in the official records of the				
the	The terms used herein which are defined in the Escrow Agreement shall have the respective meanings therein assigned to them.					
		Wantat				
		By: Don Porter				
		Title: Mayor				

#### **EXHIBIT B-2**

I/we, the undersigned authorized officer(s) of the State, do hereby certify and request to the Treasurer as follows:

- 1. I/we have reviewed the foregoing statements of the authorized officer of the Entity attached hereto, and on behalf of the State approve the request for payment from the Escrow Fund made therein; provided that the State has not independently verified the statements of such authorized officer of the Entity attached hereto and makes no representations or certifications with respect thereto.
- 2. A copy of this Written Authorization and Request is being kept on file in the official records of the State.

The terms used herein shall have the same meanings assigned to them in the attached statements of the authorized officer of the Entity.

Dated the date appearing at the top of the attached statements of the authorized officer of the Entity.

STATE:			
Ву:	 <del> </del>	· · · · · · · · · · · · · · · · · · ·	<del></del>
Title:			

## EXHIBIT B -3

## REIMBURSEMENT SCHEDULE

Check No.	Person or Firm	Amount	Purpose
		•	
	·		·
			· · · · · · · · · · · · · · · · · · ·
Reimbursement for	r the above listed payments total	aling \$	is to be made to
	("Entity") by transf	fer of funds from the Eso	is to be made to crow Account (PTIF#
CHECK ONE):			
Entity's cl Account n	hecking account at		("Bank").
		·	
RETAINAGE RE	QUEST		
In addition to the a	hava listad maimhrrasannant tua	mafon tha fallowing mate	·
	bove listed reimbursement, tra t.# To Retainage Acct.#		
<del></del>			
	time of Wire Transfer		

# UTAH STATE TREASURER UTAH PUBLIC TREASURERS' INVESTMENT FUND

New Account Application and Change Form					
A. Title of Account Escalante Landfill Account DATE 5/15/09					
B. PTIF Account Number(s) 2175					
A,B,E,F).	Add Bank/Account (Sec. A,B,E,F)				
Change Authorized Individuals (Sec. A,B, C,F)	Change Internet Access (Sec. A,B,C,F)				
C. Individuals Authorized to Make Deposits/Withdrawals:  1. AME STORY  1. CINAL STORY  1. CINAL STORY  2. VICKO SCHUKUSKI CITY ROLLY  1. CITY					
	- 826-4644 - 826-4644				
PO Pox 189 Escala	untc, Ut. 84726				
andi Steed	4110, 411. 01100				
Delete Ba	nk				
Name of Bank _					
b. Account Number Account Number Checking					
F. Authorization: In accordance with applicable statutes and procedures established by the Utah State Treasurer, we the undersigned hereby authorize the Utah State Treasurer to make the above changes and/or initiate wire and/or automated clearing house (ACH) credit entries and/or debit entries to our bank indicated above. The depository named above is authorized to credit and/or debit the same to such account. This authorization is to remain in full force and effect until the Utah State Treasurer has received written notification from us of its termination.  Signed CKIC Schukok (Date)  Name Undi State  Title Treasurer  Title Tr					
Klski 5/15/xsigned Cindi	Stood 5/15/06 (Date)				
Klski 5/15/xsigned Cindi	Sted Stead 5/15/06 (Date)				
KISKI 5/15/xSigned Cindi Name Cindi Title Treasi	Sted Stead 5/15/06 (Date)				
	Account Application and Change    Change Bank/Account (Sec A,B,E,F).     Change Authorized Individuals (Sec. A,B, C,F)     Change Authorized Individuals (Sec. A,B, C,F)     Change Authorized Individuals (Sec. A,B, C,F)     Change Bank/Account (Sec A,B, C,F)     Change Bank/Account (Sec A,B, C,F)     Change Bank/Account (Sec A,B, C,F)     Change Bank/Account Sec A,B, C,F)     Change Bank/Account (Sec A,B, C,F)     Change Authorized Individuals (Sec. A,B, C,F)     Change Authorized Individuals (Sec. A,B, C,F)     Change Bank/Account (Sec A,B, C,F)     Change Authorized Individuals (Sec. A,B, C,F)     Change Authorized Individuals (Sec. A,B, C,F)     Change Bank/Account (Sec A,B, C,F)     Change Bank/Account Sec A,B, C,F)     Change Bank/Accou				

\* Must be a registered user, see our website at www.treasurer.state.ut.us